



Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650104  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650105  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650106  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650107  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650108  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650113  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm

Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650114  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650115  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650116  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650117  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650118  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650123  
3 Pair Vertical  
Backplane Header,

1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650124  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650125  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650126  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650127  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650128  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650133  
3 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650134  
3 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650135  
3 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650136  
3 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650137  
3 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761650138  
3 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)

Impact™ 100 Ohm 0761651103  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact™ 100 Ohm 0761651104  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact™ 100 Ohm 0761651105  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact™ 100 Ohm 0761651106  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact™ 100 Ohm 0761651107  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact™ 100 Ohm 0761651108  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole

Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761651113  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761651114  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761651115  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761651116  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761651117  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761651118  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,

Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761651123  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761651124  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761651125  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761651126  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761651127  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761651128  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 90 Circuits,



Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761651133  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761651134  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761651135  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761651136  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761651137  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761651138  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall, 10

Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761652103  
3 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Left Guide,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)

This document was generated on 04/13/2012

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**