

5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0765607108
6 Pair RAM Right
Angle Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0765603118
6 Pair RAM Right
Angle Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Key Orientation A,
Lead-Free
Impact™ 100 Ohm 0765605118
6 Pair RAM Right
Angle Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Key Orientation A,
Lead-Free
Impact™ 100 Ohm 0765601108
6 Pair RAM Right
Angle Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761500010
6 Pair Right Angle
Daughtercard,
1.90 by 1.35mm
Pitch, Unguided,
10 Columns, 180
Circuits, Plated
Through Hole
Dimension 0.46mm,
Tin (Sn) Lead (Pb)

| | |
|--|------------|
| Impact™ 100 Ohm | 0761500020 |
| 6 Pair Right Angle Daughtercard, 1.90 by 1.35mm Pitch, Unguided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Tin (Sn) Lead (Pb) | |
| Impact™ 100 Ohm | 0761501010 |
| 6 Pair Right Angle Daughtercard, 1.90 by 1.35mm Pitch, Unguided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free | |
| Impact™ 100 Ohm | 0761501020 |
| 6 Pair Right Angle Daughtercard, 1.90 by 1.35mm Pitch, Unguided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free | |
| Impact™ 100 Ohm | 0761502010 |
| 6 Pair Right Angle Daughtercard, 1.90 by 1.35mm Pitch, Left Guided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.46mm, Tin (Sn) Lead (Pb) | |
| Impact™ 100 Ohm | 0761502020 |
| 6 Pair Right Angle Daughtercard, 1.90 by 1.35mm Pitch, Left Guided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Tin (Sn) Lead (Pb) | |
| Impact™ 100 Ohm | 0761503010 |
| 6 Pair Right Angle Daughtercard, 1.90 by 1.35mm Pitch, Left Guided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free | |
| Impact™ 100 Ohm | 0761503020 |
| 6 Pair Right Angle Daughtercard, 1.90 by 1.35mm Pitch, Left Guided, | |

10 Columns, 180
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761503120
6 Pair Right Angle
Daughterboard,
1.90 by 1.35mm
Pitch, Left Guided,
10 Columns, 180
Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarization Key A,
Lead-Free
Impact™ 100 Ohm 0761504010
6 Pair Right Angle
Daughterboard,
1.90 by 1.35mm
Pitch, Right Guided,
10 Columns, 180
Circuits, Plated
Through Hole
Dimension 0.46mm,
Tin (Sn) Lead (Pb)
Impact™ 100 Ohm 0761504020
6 Pair Right Angle
Daughterboard,
1.90 by 1.35mm
Pitch, Right Guided,
10 Columns, 180
Circuits, Plated
Through Hole
Dimension 0.39mm,
Tin (Sn) Lead (Pb)
Impact™ 100 Ohm 0761505010
6 Pair Right Angle
Daughterboard,
1.90 by 1.35mm
Pitch, Right Guided,
10 Columns, 180
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761505020
6 Pair Right Angle
Daughterboard,
1.90 by 1.35mm
Pitch, Right Guided,
10 Columns, 180
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761505110
6 Pair Right Angle
Daughterboard,
1.90 by 1.35mm
Pitch, Right Guided,
10 Columns, 180
Circuits, Plated
Through Hole
Dimension 0.46mm,

Polarization Key A,
Lead-Free
Impact™ 100 Ohm 0761505120
6 Pair Right Angle
Daughtercard,
1.90 by 1.35mm
Pitch, Right Guided,
10 Columns, 180
Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarization Key A,
Lead-Free
Impact™ 100 0762901020
Ohm 6 Pair Right
Angle Orthogonal
Daughtercard,
Unguided, 10
Columns, 180
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 0762903020
Ohm 6 Pair Right
Angle Orthogonal
Daughtercard, Left
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 0762905020
Ohm 6 Pair Right
Angle Orthogonal
Daughtercard, Right
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0765601127
6 Pair RAM Right
Angle Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0765607107
6 Pair RAM Right
Angle Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 04/13/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION