



5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761450103  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450104  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450105  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450106  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450107  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)

Impact™ 100 Ohm 0761450108  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)

Impact™ 100 Ohm 0761450113  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)

Impact™ 100 Ohm 0761450114  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)

Impact™ 100 Ohm 0761450115  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)

Impact™ 100 Ohm 0761450116  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)

Impact™ 100 Ohm 0761450117  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,

Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450118  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450123  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450124  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450125  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450126  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450127  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450128  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450133  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450134  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450135  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450136  
6 Pair Vertical  
Backplane Header,

1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450137  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761450138  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761451103  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761451104  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761451106  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length

4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761451107  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761451108  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761451113  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761451114  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761451115  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact™ 100 Ohm	0761451116
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Left Endwall, 10 Columns, 180 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact™ 100 Ohm	0761451117
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Left Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact™ 100 Ohm	0761451118
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Left Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact™ 100 Ohm	0761451123
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Dual Endwall, 10 Columns, 180 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact™ 100 Ohm	0761451124
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Dual Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact™ 100 Ohm	0761451125
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided,	



Dual Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761451126  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761451127  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761451133  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761451134  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761451135  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761451136  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761451137  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761451138  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761452103  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Left Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761452104  
6 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Left Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)

This document was generated on 04/13/2012

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**