

Note: This datasheet may be out of date.

Please download the latest datasheet of PRF18BC471QS5RB from the official website of Murata Manufacturing.

Co., Lto

https://www.murata.com/en-global/products/productdetail?partno=PRF18BC471QS5RB

PRF18BC471QS5RB












Appearance & Shape







Dort Number	Dimensions (mm)				
Part Number	L	W	Т	е	g
PRF18_RB	1.6±0.15	0.8±0.15	0.8±0.15	0.1 to 0.6	-



- 1. The SMD type's small size and light weight are helpful in miniaturizing the circuit.
- 2. Excellent thermal response.
- 3. Elements of solid-state construction provide excellent mechanical vibration and impact resistance.
- Contactless operation provides prolonged service life and noiseless operation.
- 5. Lead is not contained in the terminations.



Automotive Usage	Powertrain/Safety
Limited Usage	Automotive Grade



Packaging Information

Packaging	Specifications	Minimum Order Quantity
RB	180mm Paper Tape	4000

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with no ur sales representatives or product engineers before ordering.

2. This datasheet has early being passifications because there is no expense for datafacturing the product of the product of

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated : 2018/09/07

Note: This datasheet may be out of date

 $\underline{ \text{Please download the latest datasheet of PRF18BC471QS5RB from the official website of Murata Manufacturing} \\$

Co., Ltd. https://www.murata.com/en-global/products/productdetail?partno=PRF18BC471QS5RB

PRF18BC471QS5RB



Max. Voltage	32V
Sensing Temperature	105°C
Sensing Temperature Tolerance	±5°C
Measure Condition of Sensing Temperature	at 4.7k ohm
Sensing Temperature(2)	120°C
Sensing Temperature (2) Tolerance	±7°C
Measure Condition of Sensing Temperature(2)	at 47k ohm
Resistance (25°C)	470Ω
Resistance Value Tolerance (at 25°C)	±50%
Operating Temperature Range	-40°C to 150°C
Size Code (in mm)	1.6x0.8mm
Size Code (in inch)	0.6x0.3inch
Shape	SMD
Mass	0.004g

2 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/


Last updated :2018/09/07


Note: This datasheet may be out of date

 $\underline{ \text{Please download the latest datasheet of PRF18BC471QS5RB from the official website of Murata Manufacturing} \\$ Co., Ltd. https://www.murata.com/en-global/products/productdetail?partno=PRF18BC471QS5RB

PRF18BC471QS5RB







Resistance-Temperature Characteristics

Resistance-Temperature Characteristics Range (Reference)

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

