Note: This datasheet may be out of date.

Please download the latest datasheet of DLW5BSZ801TQ2#from the official website of Murata Manufacturing

Co. Ltd.

https://www.murata.com/en-global/products/productdetail?partno=DLW5BSZ801TQ2%23

## DLW5BSZ801TQ2#

"#" indicates a package specification code.










< List of part numbers with package codes >

DLW5BSZ801TQ2K DLW5BSZ801TQ2L DLW5BSZ801TQ2B



### Appearance & Shape







### Features

- 1. Small size (5.0x5.0mm) and high rated current (0.7 to 1.5A)
- 2. High common mode Impedance (max 2800ohm,at 10MHz.)
- 3. Operating Temperature Range -40°C to +105°C

# Applications

Automotive	,
Usage	

Infotainment



## Packaging Information

Packaging	Specifications	Minimum Order Quantity
K	330mm Embossed Tape	1500
L	180mm Embossed Tape	400
В	Bulk(Bag)	100

1 of 3

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





 $\underline{ Please \ download \ the \ latest \ data sheet \ of \ DLW5BSZ801TQ2\# from \ the \ official \ website \ of \ Murata \ Manufacturing} }$  $\underline{\text{Co., Ltd.}} \\ \text{https://www.murata.com/en-global/products/productdetail?partno=DLW5BSZ801TQ2\%23} \\$ 

## DLW5BSZ801TQ2#

"#" indicates a package specification code.

Note: This datasheet may be out of date



Shape	SMD
Size Code (in mm)	5050
Size Code (in inch)	2020
Length	5.0mm
Length Tolerance	±0.3mm
Width	5.0mm
Width Tolerance	±0.3mm
Thickness	4.5mm
Thickness Tolerance	max.
Common Mode Impedance (at 100MHz)	800Ω
Common Mode Impedance (at 100MHz) Tolerance	(Тур.)
Common Mode Impedance (at 10MHz)	550Ω
Common Mode Impedance (at 10MHz) Tolerance	±40%
Rated Current	1.5A
Rated Voltage	50Vdc
Withstanding Voltage	125Vdc
DC Resistance(max.)	0.056Ω

	DC Resistance	0.056Ω max.
	Insulation Resistance(min.)	10ΜΩ
	Operating Temperature Range	-40°C to 105°C
	Mass(typ.)	0.3g
	Number of Circuit	1
	Operating Temperature Range(Self-temperature rise is included)	No

2 of 3

### Attention

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2019/07/18

<sup>1.</sup> This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.



Please download the latest datasheet of DLW5BSZ801TQ2#from the official website of Murata Manufacturing


https://www.murata.com/en-global/products/productdetail?partno=DLW5BSZ801TQ2%23


## DLW5BSZ801TQ2#

"#" indicates a package specification code.

Note: This datasheet may be out of date








Impedance-Frequency Characteristics

Impedance-Frequency Characteristics (Main Items)



**Equivalent Circuit** 

3 of 3

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2019/07/18