Note: This datasheet may be out of date

Please download the latest datasheet of NFZ2MSM601SN10# from the official website of Murata Manufacturing

https://www.murata.com/en-global/products/productdetail?partno=NFZ2MSM601SN10%23

NFZ2MSM601SN10#

"#" indicates a package specification code.








< List of part numbers with package codes > NFZ2MSM601SN10B NFZ2MSM601SN10L



Appearance & Shape







- 1.Less audio distortion designing because of highly linear characteristics of magnetic hysteresis.
- 2.Large rated current of 4000mA. (at 1000hm)
- 3.Low DC resistance is realized.
- 4.Low magnetic flux leakage with magnetically shielded structure.



Other Usage

For general



Packaging Information

Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	1000
L	180mm Embossed Tape	3000

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated : 2019/07/18



Note: This datasheet may be out of date

 $\underline{ \text{Please download the latest datasheet of NFZ2MSM601SN10\# from the official website of Murata Manufacturing} \\$ $\underline{\text{Co., Ltd.}} \\ \text{https://www.murata.com/en-global/products/productdetail?partno=NFZ2MSM601SN10\%23} \\$

NFZ2MSM601SN10#

"#" indicates a package specification code.



Shape	SMD
Size Code (in mm)	2016
Size Code (in inch)	0806
Length	2.0mm
Length Tolerance	±0.2mm
Width	1.6mm
Width Tolerance	±0.2mm
Thickness	0.9mm
Thickness Tolerance	±0.1mm
Rated Current	2.5A
Operating Temperature Range	-40°C to 85°C
Mass(typ.)	0.012g
Number of Circuit	1
DC Resistance(max.)	0.046Ω
DC Resistance	0.037Ω (Τур.)
Impedance (at 100MHz)	600Ω
Impedance (at 100MHz) Tolerance	±25%

2 of 3

Attention

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2019/07/18

^{1.} This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Note: This datasheet may be out of date.


 $\underline{ \text{Please download the latest datasheet of NFZ2MSM601SN10\# from the official website of Murata Manufacturing} \\$


 $\underline{\text{Co., Ltd.}} \\ \text{https://www.murata.com/en-global/products/productdetail?partno=NFZ2MSM601SN10\%23} \\$

NFZ2MSM601SN10#

"#" indicates a package specification code.







Impedance-Frequency Characteristics

Equivalent Circuit

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

