

Note: This datasheet may be out of date. Please download the latest datasheet of GRM188R6YA475KE15#from the official website of Murata Manufacturing Co., Ltd. n-GB/pro ducts/productdetail?partno=GRM188R6YA475KE15%23 http://www.mura

GRM188R6YA475KE15#


"#" indicates a package specification code.



< List of part numbers with package codes > GRM188R6YA475KE15J GRM188R6YA475KE15D

Appearance & Shape







| Packaging | Specifications | Minimum Order Quantity |
|-----------|------------------|---------------------------|
| J | 330mm Paper Tape | 10000 |
| D | 180mm Paper Tape | 4000 |

| Mass (typ.) | | |
|-------------|-------|--|
| 1 piece | 9.1mg | |
| φ180mm Reel | 166g | |

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of GRM 188R6YA475KE15#from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-GB/products/productdetail?partno=GRM188R6YA475KE15%23

GRM188R6YA475KE15#

"#" indicates a package specification code.

Specifications

| Length | 1.6±0.2mm | |
|--|---------------|--|
| Width | 0.8±0.2mm | |
| Thickness | 0.8±0.2mm | |
| Capacitance | 4.7µF ±10% | |
| Distance between external terminals g | 0.6mm min. | |
| External terminal size e | 0.2 to 0.55mm | |
| Operating Temperature Range | -55°C to 85°C | |
| Rated Voltage | 35Vdc | |
| Size code in inch(mm) | 0603 (1608M) | |
| Capacitance change rate | ±15.0% | |
| Temperature characteristics (complied standard) | X5R(EIA) | |
| Temperature range of temperature characteristics | -55°C to 85°C | |

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention




GRM188R6YA475KE15#


Note: This datasheet may be out of date Please download the latest datasheet of GRM188R6YA475KE15#from the official website of Murata Manufacturing Co., Ltd. ctdetail?partno=GRM188R6YA475KE15%23


"#" indicates a package specification code.


Characteristic Data

The charts below may show another part number which shares its characteristics.









3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Attention



GRM188R6YA475KE15#

"#" indicates a package specification code.





Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our safe representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

4 of 4