

"#" indicates a package specification code.

GRM155C81E225ME11#




< List of part numbers with package codes > GRM155C81E225ME11D GRM155C81E225ME11J





| - 10 m | | |
|--|--|--|
| Contraction of the local division of the loc | | |
| 1 | | |
| A COLORINA | 100 | |
| | 10 C 1 C 1 | |
| | 100 million (1990) | |
| | 100 C | |
| | 1000 | |
| - | | |
| | Contraction of the local distance of the loc | |



| Packaging | Specifications | Minimum Order Quantity |
|-----------|------------------|---------------------------|
| D | 180mm Paper Tape | 10000 |
| J | 330mm Paper Tape | 40000 |

| Mass (typ.) | |
|-------------|-------|
| 1 piece | 3.1mg |
| φ180mm Reel | 149g |



Derating1. Only for mobile devices

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date. Please download the latest datasheet of GRM155C81E225ME11#from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en/products/productdetail?partno=GRM155C81E225ME11%23

GRM155C81E225ME11#

"#" indicates a package specification code.

Specifications

| Length | 1.0±0.2mm |
|--|----------------|
| Width | 0.5±0.2mm |
| Thickness | 0.5±0.2mm |
| Capacitance | 2.2µF ±20% |
| Distance between external terminals g | 0.3mm min. |
| External terminal size e | 0.15 to 0.35mm |
| Operating Temperature Range | -55°C to 105°C |
| Rated Voltage | 25Vdc |
| Size code in inch(mm) | 0402 (1005M) |
| Capacitance change rate | ±22.0% |
| Temperature characteristics (complied standard) | X6S(EIA) |
| Temperature range of temperature characteristics | -55°C to 105°C |

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.






Note: This datasheet may be out of date Please download the latest datasheet of GRM155C81E225ME11#from the official website of Murata Manufacturing Co., Ltd. etail?partno=GRM155C81E225ME11%23


GRM155C81E225ME11#


"#" indicates a package specification code.


Characteristic Data

The charts below may show another part number which shares its characteristics.









3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering






GRM155C81E225ME11#

"#" indicates a package specification code.





4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our safe representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

