

# LQW15AN3N3D10#

Note: This datasheet may be out of date.

Please download the latest datasheet of LQW15AN3N3D10# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=LQW15AN3N3D10%23

"#" indicates a package specification code.

Size Code 1005 (0402) in mm (in inch), High Q, Low DC Resistance Type




















< List of part numbers with package codes > LQW15AN3N3D10B LQW15AN3N3D10D



## Appearance & Shape





## References

| Packaging | Specifications   | Standard |
|-----------|------------------|----------|
|           |                  | Packing  |
|           |                  | Quantity |
| В         | Bulk(Bag)        | 500      |
| D         | 180mm Paper Tape | 10000    |

| Mass (typ.) |         |  |
|-------------|---------|--|
| 1 piece     | 0.0008g |  |

1 of 3

#### Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





# LQW15AN3N3D10#

Note: This datasheet may be out of date.

Please download the latest datasheet of LQW15AN3N3D10# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=LQW15AN3N3D10%23

"#" indicates a package specification code.



# **Specifications**

| L size   | 1.0±0.1mm      |
|--|----------------|
| W size   | 0.6±0.1mm      |
| T size   | 0.5±0.1mm      |
| Size code inch (mm)  | 0402 (1005)    |
| Inductance   | 3.3nH±0.5nH    |
| Inductance Test Frequency  | 100MHz         |
| Rated current (Itemp) (Based on Temperature rise)                  | 900mA          |
| Max. of DC resistance  | 0.04Ω          |
| Q(min.)  | 30             |
| Q Test Frequency   | 250MHz         |
| Self resonance frequency (min.)                                    | 12GHz          |
| Operating Temperature Range(Self-temperature rise is not included) | -55°C to 125°C |
| Series   | LQW15AN_10     |

2 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



### Product Search Data Sheet

Note: This datasheet may be out of date.

Please download the latest datasheet of LQW15AN3N3D10# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=LQW15AN3N3D10%23


"#" indicates a package specification code.





## Characteristic Data

LQW15AN3N3D10#

The charts below may show another part number which shares its characteristics.







3 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

