



Home > Products > Product Category > Switches > Basic Switches > Basic Switches (Z-Size) > Z > Item list

Product Category

- Switches
 - Basic Switches
 - Basic Switches (Z-Size)
 - Z
 - Item list**

Product Category

- A to Z Index
- Applications
- Cautions

General-purpose Basic Switch

Item list of Z



General-purpose Basic Switch Z

Best-selling Basic Switch Boasting High Precision and Wide Variety

about this Product Family

[Inquiry of this Product](#)

Displaying individual registered product index. Select and click for details.

| Count **All** ▼

All Items 1 - 136 of 136

Model Number	Description
▶ Z-01H	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-01H-B	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-01H55-B	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-01HD	Short spring plunger (7.15 dia., Plated iron plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-01HD-B	Short spring plunger (7.15 dia., Plated iron plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-01HQ	Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-01HQ-B	Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-01HW22	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-01HW22-B	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-01HW2255-B	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-10FDY-B	Short spring plunger (7.15 dia., Plated iron plunger), Snap action, Self-reset type, SPDT, Screw terminal (M4)
▶ Z-10FM22Y-B	Reverse short hinge roller lever (18.5 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, SPDT, Screw terminal (M4)
▶ Z-10FQ22Y-B	Panel mount roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, SPDT, Screw terminal (M4)
▶ Z-10FQY-B	Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, SPDT, Screw terminal (M4)
▶ Z-10FSY-B	Slim spring plunger (4 dia., Stainless steel plunger), Snap action, Self-reset type, SPDT, Screw terminal (M4)
▶ Z-10FW22Y-B	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, SPDT, Screw terminal (M4)
▶ Z-10FWY-B	Hinge lever (63.5 R, Stainless steel lever, low OF), Snap action, Self-reset type, SPDT, Screw terminal (M4)
▶ Z-10FY-B	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, SPDT, Screw terminal (M4)
▶ Z-15E	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal

Model Number	Description
▶ Z-15E-B	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15ED	Short spring plunger (7.15 dia., Plated iron plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15ED-B	Short spring plunger (7.15 dia., Plated iron plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15EQ-B	Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15EQ21-B	Panel mount cross roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15EQ22-B	Panel mount roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15ER	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Maintained-contact type, SPDT, Solder terminal
▶ Z-15ESR	Slim spring plunger (4 dia., Stainless steel plunger), Snap action, Maintained-contact type, SPDT, Solder terminal
▶ Z-15EW22	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15EW22-B	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15EWR	Hinge lever (63.5 R, Stainless steel lever, low OF), Snap action, Maintained-contact type, SPDT, Solder terminal
▶ Z-15G55	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15G55-B	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15G55-MR 1M	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Molded terminal
▶ Z-15GA55-B5V	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GD55	Short spring plunger (7.15 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GD55-MD 1M	Short spring plunger (7.15 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Molded terminal
▶ Z-15GD55-MR 1M	Short spring plunger (7.15 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Molded terminal
▶ Z-15GDA55-B5V	Short spring plunger (7.15 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GK355	Spring plunger (8.35 dia., Stainless steel plunger, high OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GK355-B	Spring plunger (8.35 dia., Stainless steel plunger, high OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GK3A55-B5V	Spring plunger (8.35 dia., Stainless steel plunger, high OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GK55	Spring plunger (7.15 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GK55-B	Spring plunger (7.15 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GKA55-B5V	Spring plunger (7.15 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GL	Leaf spring (49.6 ±0.8 R), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GL-B	Leaf spring (49.6 ±0.8 R, Stainless steel spring lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GL2	Roller leaf spring (49.6 ±0.8R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GL2-B	Roller leaf spring (49.6 ±0.8R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GL255	Roller leaf spring (49.6 ±0.8R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GL255-B	Roller leaf spring (49.6 ±0.8R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GL2A55-B5V	Roller leaf spring (49.6 ±0.8R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GL55	Leaf spring (49.6 ±0.8 R), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal

Model Number	Description
▶ Z-15GL55-B	Leaf spring (49.6 ±0.8 R, Stainless steel spring lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GM	Reverse hinge lever (56 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GM-B	Reverse hinge lever (56 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GM2	Reverse hinge roller lever (40.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GM2-B	Reverse hinge roller lever (40.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GM22	Reverse short hinge roller lever (18.5 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GM22-B	Reverse short hinge roller lever (18.5 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GM2255	Reverse short hinge roller lever (18.5 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GM2255-B	Reverse short hinge roller lever (18.5 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GM255	Reverse hinge roller lever (40.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GM255-B	Reverse hinge roller lever (40.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GM55	Reverse hinge lever (56 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GNJ55	Flexible rod (coil spring, high OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GNJ55-B	Flexible rod (coil spring, high OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GQ21	Panel mount cross roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GQ21-B	Panel mount cross roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GQ2155-B	Panel mount cross roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GQ21A55-B5V	Panel mount cross roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GQ2255	Panel mount roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GQ2255-B	Panel mount roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GQ22A55-B5V	Panel mount roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GQ3	Panel mount plunger (8.35 dia., Stainless steel plunger, low OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GQ3-B	Panel mount plunger (8.35 dia., Stainless steel plunger, low OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GQ55	Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GQ55-B	Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GQ8	Panel mount plunger (8.35 dia., Stainless steel plunger, high OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GQ8-B	Panel mount plunger (8.35 dia., Stainless steel plunger, high OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GQA55-B5V	Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GS	Slim spring plunger (4 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GS-B	Slim spring plunger (4 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW21	Short hinge lever (28.2 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW21-B	Short hinge lever (28.2 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW2155	Short hinge lever (28.2 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal

Model Number	Description
▶ Z-15GW2155-B	Short hinge lever (28.2 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW2255	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW2255-MD 1M	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Molded terminal
▶ Z-15GW2255-ML 1M	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Molded terminal
▶ Z-15GW2255-MR 1M	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Molded terminal
▶ Z-15GW2277	Unidirectional short hinge roller lever (31.9 R, 9.5 x 4 dia., Resin roller, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW227755	Unidirectional short hinge roller lever (31.9 R, 9.5 x 4 dia., Resin roller, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW227755-B	Unidirectional short hinge roller lever (31.9 R, 9.5 x 4 dia., Resin roller, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW2277A55-B5V	Unidirectional short hinge roller lever (31.9 R, 9.5 x 4 dia., Resin roller, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GW22A55-B5V	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GW25	Hinge roller lever (50 R, 20 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW255	Hinge roller lever (48.5 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW255-B	Hinge roller lever (48.5 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW2A55-B5V	Hinge roller lever (48.5 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GW3-B	Hinge lever (56 R, Stainless steel lever, medium OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW32	Hinge lever (63.5 R, Stainless steel lever, high OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW32-B	Hinge lever (63.5 R, Stainless steel lever, high OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW4	Low-force hinge lever (63.5 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW4-B	Low-force hinge lever (63.5 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW4455	Long hinge lever (100 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW4455-B	Long hinge lever (100 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW44A55-B5V	Long hinge lever (100 R, Stainless steel lever), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15GW49	Short hinge cross roller lever (27.1 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW49-B	Short hinge cross roller lever (27.1 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW54	Hinge cross roller lever (48.7 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15GW54-B	Hinge cross roller lever (48.7 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GW55-B	Hinge lever (63.5 R, Stainless steel lever, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15GWA55-B5V	Hinge lever (63.5 R, Stainless steel lever, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal with terminal protective cover
▶ Z-15H	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15H-B	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15H2	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15H2-B	Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15HD	Short spring plunger (7.15 dia., Plated iron plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal

Model Number	Description
▶ Z-15HD-B	Short spring plunger (7.15 dia., Plated iron plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15HNJS55	Flexible rod (steel wire, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15HNJS55-B	Flexible rod (steel wire, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15HQ	Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15HQ-B	Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15HQ21	Panel mount cross roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15HQ21-B	Panel mount cross roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15HQ22	Panel mount roller plunger (12.7 x 4.8 dia., Stainless steel roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15HS-B	Slim spring plunger (4 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15HW	Hinge lever (63.5 R, Stainless steel lever, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15HW-B	Hinge lever (63.5 R, Stainless steel lever, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15HW2	Hinge roller lever (48.5 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15HW22	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15HW22-B	Short hinge roller lever (26.6 R, 9.5 x 4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15HW52	Low-force wire hinge lever (63.5 R, Stainless-steel wire lever, high OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15HW52-B	Low-force wire hinge lever (63.5 R, Stainless-steel wire lever, high OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)
▶ Z-15HW78	Low-force wire hinge lever (110 R, Stainless-steel wire lever, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal
▶ Z-15HW78-B	Low-force wire hinge lever (110 R, Stainless-steel wire lever, low OF), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)

All Items 1 - 136 of 136

[▲ Top of page](#)

[▶ OMRON Corporation](#)
[▶ Sitemap](#)
[▶ Terms of Use](#)
[▶ Privacy Policy](#)

© Copyright OMRON Corporation 2007 - 2019. All Rights Reserved.

