

NO: RL-144
DATE: July 2015

PRODUCT: G2R-S Miniature Power Relays
TYPE: Modification Notice





General Purpose G2R-□ (A)-S Miniature Power Relays Modified with New VDE Logo Mark

Effective Date: December 2015 production

Reason for modification: VDE updated their logo and Omron is changing the product marking and packaging marking to comply with the change.



Changes

Before the change	After the change
<p style="text-align: center;">Before the change</p> <p>VDE case marking</p> <div style="text-align: center;">  </div> <p style="text-align: center;">There is VDE mark</p> <div style="text-align: center;">  </div>	<p style="text-align: center;">After the change</p> <p>VDE case marking</p> <div style="text-align: center;">  </div> <p style="text-align: center;">There is not VDE mark</p> <div style="text-align: center;">  </div>

Note: There is no change of specification and performance due to the change.

Applicable Models

Model	Specification
Model G2R-1-SNI	DC12(S)
Model G2R-1-SNI	DC24(S)
Model G2R-1-SNI	AC100/(110)(S)
Model G2R-1-SNI	AC200/(220)(S)
Model G2R-1-SNDI	DC12(S)
Model G2R-1-SNDI	DC24(S)
Model G2R-1-S	DC24(L)
Model G2R-1-SN	DC24(L)
Model G2R-1-SD	DC24(L)
Model G2R-1-SND	DC24(L)
Model G2R-1-S	AC220(L)
Model G2R-1-SN	AC220(L)
Model G2R-1-S	DC6(S)
Model G2R-1-S	DC12(S)
Model G2R-1-S	DC24(S)
Model G2R-1-S	DC48(S)
Model G2R-1-S	AC24(S)
Model G2R-1-S	AC110(S)
Model G2R-1-S	AC120(S)
Model G2R-1-S	AC230(S)
Model G2R-1-S	AC240(S)
Model G2R-1-SN	DC6(S)
Model G2R-1-SN	DC12(S)
Model G2R-1-SN	DC24(S)
Model G2R-1-SN	DC48(S)
Model G2R-1-SN	AC24(S)
Model G2R-1-SN	AC110(S)
Model G2R-1-SN	AC120(S)
Model G2R-1-SN	AC240(S)
Model G2R-1-SN	AC230(S)
Model G2R-1-SD	DC6(S)
Model G2R-1-SD	DC12(S)
Model G2R-1-SD	DC24(S)
Model G2R-1-SD	DC48(S)
Model G2R-1-SND	DC6(S)
Model G2R-1-SND	DC12(S)
Model G2R-1-SND	DC24(S)
Model G2R-1-SND	DC48(S)
Model G2R-1-SNI	DC6(S)
Model G2R-1-SNI	DC12(S)
Model G2R-1-SNI	DC24(S)
Model G2R-1-SNI	DC48(S)
Model G2R-1-SNI	AC24(S)
Model G2R-1-SNI	AC110(S)
Model G2R-1-SNI	AC120(S)
Model G2R-1-SNI	AC230(S)
Model G2R-1-SNI	AC240(S)
Model G2R-1-SNDI	DC12(S)
Model G2R-1-SNDI	DC24(S)

Model	Specification
Model G2R-1-SNDI	DC48(S)
Model G2R-1-S	DC5(S)
Model G2R-1-S	DC100(S)
Model G2R-1-S	AC100/(110)(S)
Model G2R-1-S	AC200/(220)(S)
Model G2R-1-S	AC12(S)
Model G2R-1-S	AC220(S)
Model G2R-1-SN	DC5(S)
Model G2R-1-SN	AC12(S)
Model G2R-1-SN	AC50(S)
Model G2R-1-SN	AC220(S)
Model G2R-1-SD	DC5(S)
Model G2R-1-SND	DC5(S)
Model G2R-1-SN	DC100(S)
Model G2R-1-SN	AC100/(110)(S)
Model G2R-1-SN	AC200/(220)(S)
Model G2R-1-SD	DC100(S)
Model G2R-1-S	DC110(S)
Model G2R-1-SN	DC110(S)
Model G2R-1-S	AC48(S)
Model G2R-1-SN	AC48(S)
Model G2R-1-SNDI	DC6(S)
Model G2R-1-S	DC5(N)
Model G2R-1-S	DC6(N)
Model G2R-1-S	DC12(N)
Model G2R-1-S	DC24(N)
Model G2R-1-S	DC48(N)
Model G2R-1-S	DC100(N)
Model G2R-1-S	AC24(N)
Model G2R-1-S	AC100/(110)(N)
Model G2R-1-S	AC200/(220)(N)
Model G2R-1-S	AC12(N)
Model G2R-1-S	AC110(N)
Model G2R-1-S	AC120(N)
Model G2R-1-S	AC220(N)
Model G2R-1-S	AC240(N)
Model G2R-1-SN	DC5(N)
Model G2R-1-SN	DC6(N)
Model G2R-1-SN	DC12(N)
Model G2R-1-SN	DC24(N)
Model G2R-1-SN	DC48(N)
Model G2R-1-SN	AC12(N)
Model G2R-1-SN	AC24(N)
Model G2R-1-SN	AC50(N)
Model G2R-1-SN	AC110(N)
Model G2R-1-SN	AC120(N)
Model G2R-1-SN	AC220(N)
Model G2R-1-SN	AC240(N)
Model G2R-1-SD	DC5(N)

Model	Specification
Model G2R-1-SD	DC6(N)
Model G2R-1-SD	DC12(N)
Model G2R-1-SD	DC24(N)
Model G2R-1-SD	DC48(N)
Model G2R-1-SND	DC5(N)
Model G2R-1-SND	DC6(N)
Model G2R-1-SND	DC12(N)
Model G2R-1-SND	DC24(N)
Model G2R-1-SND	DC48(N)
Model G2R-1-SN	DC100(N)
Model G2R-1-SN	AC100/(110)(N)
Model G2R-1-SN	AC200/(220)(N)
Model G2R-1-SD	DC100(N)
Model G2R-1-S	DC110(N)
Model G2R-1-SN	DC110(N)
Model G2R-1-S	AC48(N)
Model G2R-1-SN	AC230(N)
Model G2R-1-S	AC230(N)
Model G2R-1-SN	AC48(N)
Model G2R-1-S	DC9(N)
Model G2R-1-SND-AP3	DC24
Model G2R-1-SN-AP3	DC24
Model G2R-1-S	DC5
Model G2R-1-S	DC6
Model G2R-1-S	DC12
Model G2R-1-S	DC24
Model G2R-1-S	DC48
Model G2R-1-S	DC100
Model G2R-1-S	AC24
Model G2R-1-S	AC100/(110)
Model G2R-1-S	AC200/(220)
Model G2R-1-S	AC12
Model G2R-1-S	AC110
Model G2R-1-S	AC120
Model G2R-1-S	AC220
Model G2R-1-S	AC240
Model G2R-1-SN	DC5
Model G2R-1-SN	DC6
Model G2R-1-SN	DC12
Model G2R-1-SN	DC24
Model G2R-1-SN	DC48
Model G2R-1-SN	AC12
Model G2R-1-SN	AC24
Model G2R-1-SN	AC50
Model G2R-1-SN	AC110
Model G2R-1-SN	AC120
Model G2R-1-SN	AC220
Model G2R-1-SN	AC240
Model G2R-1-SD	DC5

Model	Specification
Model G2R-1-SD	DC6
Model G2R-1-SD	DC12
Model G2R-1-SD	DC24
Model G2R-1-SD	DC48
Model G2R-1-SND	DC5
Model G2R-1-SND	DC6
Model G2R-1-SND	DC12
Model G2R-1-SND	DC24
Model G2R-1-SND	DC48
Model G2R-1-SN	DC100
Model G2R-1-SN	AC100/(110)
Model G2R-1-SN	AC200/(220)
Model G2R-1-SD	DC100
Model G2R-1-S	DC110
Model G2R-1-SN	DC110
Model G2R-1-S	AC48
Model G2R-1-S	AC230
Model G2R-1-SN	AC230
Model G2R-1-SN	AC48
Model G2R-1-S	DC9
Model G2R-1-SNI	AC48(S)
Model G2R-1-SNDI	DC110(S)
Model G2R-1-SN-AP3	AC24(S)
Model G2R-1-S-AP3	AC24(S)
Model G2R-1-S	DC12(SM)
Model G2R-1-SNI	DC12 (SJ)
Model G2R-1-SNI	DC24 (SJ)
Model G2R-1-SNI	AC100/(110) (SJ)
Model G2R-1-SNI	AC200/(220) (SJ)
Model G2R-1-SNDI	DC12 (SJ)
Model G2R-1-SNDI	DC24 (SJ)
Model G2R-1-SND	DC24 (SOD)
Model G2R-1-SN	AC200/(220) (SOD)
Model G2R-1-SND	DC100 (S)
Model G2R-1-S-AP3	DC12(S)
Model G2R-1-SNI-AP3	DC12 (S)
Model G2R-2-SNI	DC12(S)
Model G2R-2-SNI	DC24(S)
Model G2R-2-SNI	AC100/(110)(S)
Model G2R-2-SNI	AC200/(220)(S)
Model G2R-2-SNDI	DC12(S)
Model G2R-2-SNDI	DC24(S)
Model G2R-2-SNI	DC100(S)
Model G2R-2-S	DC24(L)
Model G2R-2-SN	DC24(L)
Model G2R-2-SD	DC24(L)
Model G2R-2-SND	DC24(L)
Model G2R-2-S	AC220(L)
Model G2R-2-SN	AC220(L)

Model	Specification
Model G2R-2-S	DC6(S)
Model G2R-2-S	DC12(S)
Model G2R-2-S	DC24(S)
Model G2R-2-S	DC48(S)
Model G2R-2-S	AC24(S)
Model G2R-2-S	AC110(S)
Model G2R-2-S	AC120(S)
Model G2R-2-S	AC230(S)
Model G2R-2-S	AC240(S)
Model G2R-2-SN	DC6(S)
Model G2R-2-SN	DC12(S)
Model G2R-2-SN	DC24(S)
Model G2R-2-SN	DC48(S)
Model G2R-2-SN	AC24(S)
Model G2R-2-SN	AC110(S)
Model G2R-2-SN	AC120(S)
Model G2R-2-SN	AC230(S)
Model G2R-2-SN	AC240(S)
Model G2R-2-SD	DC6(S)
Model G2R-2-SD	DC12(S)
Model G2R-2-SD	DC24(S)
Model G2R-2-SD	DC48(S)
Model G2R-2-SND	DC6(S)
Model G2R-2-SND	DC12(S)
Model G2R-2-SND	DC24(S)
Model G2R-2-SND	DC48(S)
Model G2R-2-SNI	DC6(S)
Model G2R-2-SNI	DC12(S)
Model G2R-2-SNI	DC24(S)
Model G2R-2-SNI	DC48(S)
Model G2R-2-SNI	AC24(S)
Model G2R-2-SNI	AC110(S)
Model G2R-2-SNI	AC120(S)
Model G2R-2-SNI	AC230(S)
Model G2R-2-SNI	AC240(S)
Model G2R-2-SNDI	DC6(S)
Model G2R-2-SNDI	DC12(S)
Model G2R-2-SNDI	DC24(S)
Model G2R-2-SNDI	DC48(S)
Model G2R-2-SNI	AC48(S)
Model G2R-2-S	DC5(S)
Model G2R-2-S	DC100(S)
Model G2R-2-S	AC100/(110)(S)
Model G2R-2-S	AC200/(220)(S)
Model G2R-2-S	AC12(S)
Model G2R-2-S	AC50(S)
Model G2R-2-S	AC220(S)
Model G2R-2-SN	DC5(S)
Model G2R-2-SN	AC12(S)

Model	Specification
Model G2R-2-SN	AC50(S)
Model G2R-2-SN	AC220(S)
Model G2R-2-SD	DC5(S)
Model G2R-2-SND	DC5(S)
Model G2R-2-SN	DC100(S)
Model G2R-2-SN	AC100/(110)(S)
Model G2R-2-SN	AC200/(220)(S)
Model G2R-2-SD	DC100(S)
Model G2R-2-SN	DC110(S)
Model G2R-2-S	AC48(S)
Model G2R-2-S	DC110(S)
Model G2R-2-SD	DC110(S)
Model G2R-2-SN	AC48(S)
Model G2R-2-SN	DC60(S)
Model G2R-2-S	DC5(N)
Model G2R-2-S	DC6(N)
Model G2R-2-S	DC12(N)
Model G2R-2-S	DC24(N)
Model G2R-2-S	DC48(N)
Model G2R-2-S	DC100(N)
Model G2R-2-S	AC24(N)
Model G2R-2-S	AC100/(110)(N)
Model G2R-2-S	AC200/(220)(N)
Model G2R-2-S	AC12(N)
Model G2R-2-S	AC50(N)
Model G2R-2-S	AC110(N)
Model G2R-2-S	AC120(N)
Model G2R-2-S	AC220(N)
Model G2R-2-S	AC240(N)
Model G2R-2-SN	DC5(N)
Model G2R-2-SN	DC6(N)
Model G2R-2-SN	DC12(N)
Model G2R-2-SN	DC24(N)
Model G2R-2-SN	DC48(N)
Model G2R-2-SN	AC12(N)
Model G2R-2-SN	AC24(N)
Model G2R-2-SN	AC50(N)
Model G2R-2-SN	AC110(N)
Model G2R-2-SN	AC120(N)
Model G2R-2-SN	AC220(N)
Model G2R-2-SN	AC240(N)
Model G2R-2-SD	DC5(N)
Model G2R-2-SD	DC6(N)
Model G2R-2-SD	DC12(N)
Model G2R-2-SD	DC24(N)
Model G2R-2-SD	DC48(N)
Model G2R-2-SND	DC5(N)
Model G2R-2-SND	DC6(N)
Model G2R-2-SND	DC12(N)

Model	Specification
Model G2R-2-SND	DC24(N)
Model G2R-2-SND	DC48(N)
Model G2R-2-SN	DC100(N)
Model G2R-2-SN	AC100/(110)(N)
Model G2R-2-SN	AC200/(220)(N)
Model G2R-2-SD	DC100(N)
Model G2R-2-SN	DC110(N)
Model G2R-2-S	AC48(N)
Model G2R-2-SN	AC230(N)
Model G2R-2-S	DC110(N)
Model G2R-2-S	AC230(N)
Model G2R-2-SD	DC110(N)
Model G2R-2-SN	AC48(N)
Model G2R-2-SN	DC60(N)
Model G2R-2-SN-AP3	DC110
Model G2R-2-SN-AP3	AC200/(220)
Model G2R-2-SN-AP3	DC100
Model G2R-2-SN-AP3	AC100/(110)
Model G2R-2-S	DC5
Model G2R-2-S	DC6
Model G2R-2-S	DC12
Model G2R-2-S	DC24
Model G2R-2-S	DC48
Model G2R-2-S	DC100
Model G2R-2-S	AC24
Model G2R-2-S	AC100/(110)
Model G2R-2-S	AC200/(220)
Model G2R-2-S	AC12
Model G2R-2-S	AC50
Model G2R-2-S	AC110
Model G2R-2-S	AC120
Model G2R-2-S	AC220
Model G2R-2-S	AC240
Model G2R-2-SN	DC5
Model G2R-2-SN	DC6
Model G2R-2-SN	DC12
Model G2R-2-SN	DC24
Model G2R-2-SN	DC48
Model G2R-2-SN	AC12
Model G2R-2-SN	AC24
Model G2R-2-SN	AC50
Model G2R-2-SN	AC110
Model G2R-2-SN	AC120

Model	Specification
Model G2R-2-SN	AC220
Model G2R-2-SN	AC240
Model G2R-2-SD	DC5
Model G2R-2-SD	DC6
Model G2R-2-SD	DC12
Model G2R-2-SD	DC24
Model G2R-2-SD	DC48
Model G2R-2-SND	DC5
Model G2R-2-SND	DC6
Model G2R-2-SND	DC12
Model G2R-2-SND	DC24
Model G2R-2-SND	DC48
Model G2R-2-SN	DC100
Model G2R-2-SN	AC100/(110)
Model G2R-2-SN	AC200/(220)
Model G2R-2-SD	DC100
Model G2R-2-SN	DC110
Model G2R-2-S	AC48
Model G2R-2-SN	AC230
Model G2R-2-S	DC110
Model G2R-2-S	AC230
Model G2R-2-SD	DC110
Model G2R-2-SN	AC48
Model G2R-2-SN	DC60
Model G2R-2-SND	DC100(S)
Model G2R-2-SND-AP3	DC110(N)
Model G2R-2-SN-AP3	AC24(S)
Model G2R-2-S-AP3	AC24(S)
Model G2R-2-SNI	DC12 (SJ)
Model G2R-2-SNI	DC24 (SJ)
Model G2R-2-SNI	AC100/(110) (SJ)
Model G2R-2-SNI	AC200/(220) (SJ)
Model G2R-2-SNDI	DC12 (SJ)
Model G2R-2-SNDI	DC24 (SJ)
Model G2R-2-SND	DC24 (SOD)
Model G2R-2-SN	DC24 (SOD)
Model G2R-2-SN	AC200/(220) (SOD)
Model G2R-2-S-AP3	DC12(S)
Model G2R-2-SNI	AC230 (SJ)
Model G2R-2-SND	DC110(S)
Model G2R-1A-S	DC24
Model G2R-1A-S	AC200/(220)

Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products. Specifications in this product news are as of the issue date and are subject to change without notice.