

NO: PX-078      PRODUCT: E2E, E2E2 Proximity Sensors  
 DATE: November 2015      TYPE: Modification Notice

## Packaging for E2E Short Barrel and E2E2 Long Barrel Proximity Sensors Modified for CCC Mark Compliance

Effective date: December 2015 production

**Reason for Modification:** To comply with the China compulsory certification CCC, the package label removed the double insulation symbol and replaced it with the CCC mark. Also, the production label was revised to remove the CCC mark.





### Detail of Differences

#### Package Label

Before the change	After the change
<p><b>Packing label</b>                      With Double insulation logo                      Without CCC mark</p> 	<p><b>Packing label</b>                      Without Double insulation logo                      With CCC mark</p> 

#### Production Label

Before the change	After the change
<p>With CCC mark</p> 	<p>Without CCC mark</p> 

## Affected Parts

Models	Specification
E2E-X1R5Y1-Z.	2M
E2E-X1R5Y2-Z.	2M
E2E-X1R5Y1-Z.	5M
E2E-X1R5Y2-Z.	5M
E2E-X1R5Y1-R-Z.	2M
E2E-X1R5Y1-R-Z.	5M
E2E-X1R5Y2-Z.	10M
E2E-X2MY1-Z.	2M
E2E-X2MY2-Z.	2M
E2E-X2MY1-Z.	5M
E2E-X2MY2-Z.	5M
E2E-X2Y1-Z.	5M
E2E-X2Y1-Z.	2M
E2E-X2Y1-M1-Z.	
E2E-X2Y15-Z.	2M
E2E-X2Y2-Z.	2M
E2E-X2Y2-M1-Z.	
E2E-X2Y2-Z.	5M
E2E-X2Y1-R-Z.	2M
E2E-X2Y2-Z.	10M
E2E-X2Y1-R-Z.	5M
E2E-X2Y1-Z.	10M
E2E-X2Y15-Z.	5M
E2E-X5MY15-Z	5M
E2E-X5MY1-R	5M
E2E-X5MY1-Z.	5M
E2E-X5MY1-Z.	2M
E2E-X5MY1-M1-Z.	
E2E-X5MY15-Z.	2M
E2E-X5MY2-Z.	2M
E2E-X5MY2-M1-Z.	
E2E-X5MY2-Z.	5M
E2E-X5MY1-Z.	10M
E2E-X5MY1-R-Z.	2M
E2E-X5Y1-M1-Z.	
E2E-X5Y2-M1-Z.	
E2E-X5Y1-Z.	2M
E2E-X5Y15-Z.	2M
E2E-X5Y2-Z.	2M
E2E-X5Y1-Z.	5M
E2E-X5Y2-Z.	5M
E2E-X5Y15-Z.	5M
E2E-X5Y1-R-Z.	5M
E2E-X5Y1-R-Z.	2M
E2E-X5Y2-R-Z.	2M

Models	Specification
E2E-X5Y1-Z.	10M
E2E-X5Y15-R-Z.	2M
E2E-X5Y2-Z.	10M
E2E-X10MY1-Z.	2M
E2E-X10MY15-Z.	2M
E2E-X10MY2-Z.	2M
E2E-X10MY2-M1-Z.	
E2E-X10MY1-M1-Z.	
E2E-X10MY1-Z.	5M
E2E-X10MY1-R-Z.	2M
E2E-X10MY1-Z.	10M
E2E-X10MY2-Z.	5M
E2E-X10MY15-Z.	5M
E2E-X10Y1-Z.	15M
E2E-X10Y1-Z.	2M
E2E-X10Y1-M1-Z.	
E2E-X10Y15-Z.	2M
E2E-X10Y2-Z.	2M
E2E-X10Y2-M1-Z.	
E2E-X10Y1-Z.	5M
E2E-X10Y2-Z.	5M
E2E-X10Y15-Z.	5M
E2E-X10Y1-Z.	10M
E2E-X10Y1-R-Z.	2M
E2E-X10Y15-Z.	10M
E2E-X10Y2-Z.	10M
E2E-X18MY1-Z.	2M
E2E-X18MY1-M1-Z.	
E2E-X18MY15-Z.	2M
E2E-X18MY2-Z.	2M
E2E-X18MY2-M1-Z.	
E2E-X18MY1-Z.	5M
E2E-X18MY2-Z.	5M
E2E-X18MY1-R-Z.	2M
E2E-X18MY1-Z.	10M
E2E-X18MY2-Z.	10M
E2E-X18MY15-Z.	5M
E2E-X18MY15-Z.	10M
E2E-X18MY1-M1J-Z.	1M
E2E2-X2Y1-M4	
E2E2-X2Y2-M4	
E2E2-X2Y1	2M
E2E2-X2Y2	2M
E2E2-X2Y1-US	2M
E2E2-X2Y2-US	2M
E2E2-X2Y1-US	5M

Models	Specification
E2E2-X2Y2	5M
E2E2-X2Y1	5M
E2E2-X5MY1	5M
E2E2-X5MY1-M4	
E2E2-X5MY1-US	2M
E2E2-X5MY2-US	2M
E2E2-X5MY1	2M
E2E2-X5MY2	2M
E2E2-X5MY2-M4	
E2E2-X5Y2	5M
E2E2-X5Y1	10M
E2E2-X5Y1	2M
E2E2-X5Y2-M4	
E2E2-X5Y1-M4	
E2E2-X5Y2	2M
E2E2-X5Y2-US	5M
E2E2-X5Y1-US	5M
E2E2-X5Y1-US	2M
E2E2-X5Y2-US	2M
E2E2-X5Y1	5M
E2E2-X10MY2	2M
E2E2-X10MY2-US	2M
E2E2-X10MY1-M4	
E2E2-X10MY2-US	5M
E2E2-X10MY1	2M
E2E2-X10MY1-US	2M
E2E2-X10MY1	5M
E2E2-X10MY2	5M
E2E2-X10MY1-US	5M
E2E2-X10MY2-M4	
E2E2-X10Y2-US	2M
E2E2-X10Y2	5M
E2E2-X10Y1	5M
E2E2-X10Y1-M4	
E2E2-X10Y2-M4	
E2E2-X10Y1	15M
E2E2-X10Y1-US	5M
E2E2-X10Y1-US	2M
E2E2-X10Y1	2M
E2E2-X10Y1	35M
E2E2-X10Y2	35M
E2E2-X10Y2	2M
E2E2-X18MY2-US	2M
E2E2-X18MY1	10M
E2E2-X18MY2-M4	
E2E2-X18MY1	2M

Models	Specification
E2E2-X18MY2	2M
E2E2-X18MY1	5M
E2E2-X18MY1-US	2M
E2E2-X18MY1	15M
E2E2-X18MY1-M4	
E2E-X3T1-Z.	10M
E2E-X3T1-Z.	2M
E2E-X3T1-Z.	5M
E2E-X7T1-M1J-Z	0.3M
E2E-X7T1-Z-HW	2M
E2E-X7T1-Z.	5M
E2E-X7T1-Z.	2M
E2E-X7T1-Z.	10M
E2E-X7T1-Z.	20M
E2E-X10T1-Z.	2M
E2E-X10T1-M1J-Z.	0.3M
E2E-X10T1-Z.	5M
E2E-X10Y1-Z	15M
E2E-X10Y1-Z.	2M
E2E-X10Y1-M1-Z.	
E2E-X10Y15-Z.	2M
E2E-X10Y2-Z.	2M
E2E-X10Y2-M1-Z.	
E2E-X10Y1-Z.	5M
E2E-X10Y2-Z.	5M
E2E-X10Y15-Z.	5M
E2E-X10Y1-Z.	10M
E2E-X10Y1-R-Z.	2M
E2E-X10Y15-Z.	10M

Specifications in this product news are as of the issue date and are subject to change without notice. Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products.