

Modifications Notices

General Purpose Relay

Issue Date
April 2, 2018
No. 2018E008A

Modification Notice of the additional identification data on the bottom of product for MY[] (S) relay series due to the traceability reinforcement.

[Effective Date]

Effective as of our production in October, 2018.

[Applicable Model]

Model MY[] (S) relay series: w/ mach. indicator
< Refer to the " [Details of applicable model] " . >

[Reason for change]






For the traceability reinforcement

[Change of products specification]

Unnecessary



[Changes]

Before the change	After the change
<p>Bottom of product 2D Cord : None</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>MY4, MY4Z</p> </div> <div style="text-align: center;">  <p>MY2</p> </div> </div>	<p>Bottom of product 2D Cord : Marked on the product</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>MY4, MY4Z</p> </div> <div style="text-align: center;">  <p>MY2</p> </div> </div> <p>[Product Image]</p> 

**This document had been distributed by Omron Electronic Components Europe B.V*

[Details of applicable model]

Models	Specification
MY2	AC100/110 (S)
MY2	AC110/120 (S)
MY2	AC12 (S)
MY2	AC200/220 (S)
MY2	AC220/240 (S)
MY2	AC24 (S)
MY2	AC48/50 (S)
MY2	AC6 (S)
MY2	DC100/110 (S)
MY2	DC12 (S)
MY2	DC125 (S)
MY2	DC220 (S)
MY2	DC24 (S)
MY2	DC48 (S)
MY2	DC6 (S)
MY2-D	DC12 (S)
MY2I	DC220 (S)
MY2IN	AC100/110 (S)
MY2IN	AC110/120 (S)
MY2IN	AC12 (S)
MY2IN	AC200/220 (S)
MY2IN	AC220/240 (S)
MY2IN	AC24 (S)
MY2IN	AC48/50 (S)
MY2IN	AC6 (S)
MY2IN	DC100/110 (S)
MY2IN	DC12 (S)
MY2IN	DC125 (S)
MY2IN	DC24 (S)
MY2IN	DC48 (S)
MY2IN	DC6 (S)
MY2IN-CR	AC100/110 (S)
MY2IN-CR	AC110/120 (S)
MY2IN-CR	AC200/220 (S)
MY2IN-CR	AC220/240 (S)
MY2IN-CR	AC24 (S)
MY2IN-D2	DC100/110 (S)
MY2IN-D2	DC12 (S)
MY2IN-D2	DC24 (S)
MY2IN-D2	DC48 (S)
MY2IN-D2	DC6 (S)
MY2IN1	DC100/110 (S)
MY2IN1	DC12 (S)
MY2IN1	DC24 (S)
MY2IN1	DC48 (S)
MY2IN1	DC6 (S)
MY2IN1-D2	DC100/110 (S)
MY2IN1-D2	DC12 (S)

Models	Specification
MY2IN1-D2	DC220(S)
MY2IN1-D2	DC24 (S)
MY2IN1-D2	DC48 (S)
MY2IN1-D2	DC6 (S)
MY2N	AC100/110 (S)
MY2N	AC110/120 (S)
MY2N	AC12 (S)
MY2N	AC200/220 (S)
MY2N	AC220/240 (S)
MY2N	AC24 (S)
MY2N	AC48/50 (S)
MY2N	AC6 (S)
MY2N	DC100/110 (S)
MY2N	DC12 (S)
MY2N	DC125 (S)
MY2N	DC24 (S)
MY2N	DC48 (S)
MY2N	DC6 (S)
MY2N-CR	AC100/110 (S)
MY2N-CR	AC110/120 (S)
MY2N-CR	AC200/220 (S)
MY2N-CR	AC220/240 (S)
MY2N-D2	DC100/110 (S)
MY2N-D2	DC12 (S)
MY2N-D2	DC125 (S)
MY2N-D2	DC24 (S)
MY2N-D2	DC48 (S)
MY2N-D2	DC6 (S)
MY2N1	DC100/110 (S)
MY2N1	DC12 (S)
MY2N1	DC24 (S)
MY2N1	DC48 (S)
MY2N1	DC6 (S)
MY2N1-D2	DC100/110 (S)
MY2N1-D2	DC12 (S)
MY2N1-D2	DC24 (S)
MY2N1-D2	DC48 (S)
MY2N1-D2	DC6 (S)
MY4	AC100/110 (S)
MY4	AC110/120 (S)
MY4	AC12 (S)
MY4	AC200/220 (S)
MY4	AC220/240 (S)
MY4	AC24 (S)
MY4	AC48/50 (S)
MY4	AC6 (S)
MY4	DC100/110 (S)
MY4	DC12 (S)

Models	Specification
MY4	DC125 (S)
MY4	DC220 (S)
MY4	DC24 (S)
MY4	DC48 (S)
MY4	DC6 (S)
MY4I	DC220 (S)
MY4IN	AC100/110 (S)
MY4IN	AC12 (S)
MY4IN	AC200/220 (S)
MY4IN	AC220/240 (S)
MY4IN	AC24 (S)
MY4IN	AC48/50 (S)
MY4IN	AC6 (S)
MY4IN	DC100/110 (S)
MY4IN	DC12 (S)
MY4IN	DC125 (S)
MY4IN	DC24 (S)
MY4IN	DC48 (S)
MY4IN	DC6 (S)
MY4IN	DC60 (S)
MY4IN-CR	AC100/110 (S)
MY4IN-CR	AC200/220 (S)
MY4IN-D2	DC100/110 (S)
MY4IN-D2	DC12 (S)
MY4IN-D2	DC24 (S)
MY4IN-D2	DC48 (S)
MY4IN1	DC100/110 (S)
MY4IN1	DC12 (S)
MY4IN1	DC125 (S)
MY4IN1	DC24 (S)
MY4IN1	DC48 (S)
MY4IN1	DC6 (S)
MY4IN1-D2	DC100/110 (S)
MY4IN1-D2	DC12 (S)
MY4IN1-D2	DC125 (S)
MY4IN1-D2	DC220(S)
MY4IN1-D2	DC24 (S)
MY4IN1-D2	DC48 (S)
MY4IN1-D2	DC6 (S)
MY4IN1-D2	DC60 (S)
MY4N	AC100/110 (S)
MY4N	AC110/120 (S)
MY4N	AC12 (S)
MY4N	AC200/220 (S)
MY4N	AC220/240 (S)
MY4N	AC24 (S)
MY4N	AC48/50 (S)

Models	Specification
MY4N	AC6 (S)
MY4N	DC100/110 (S)
MY4N	DC12 (S)
MY4N	DC125 (S)
MY4N	DC24 (S)
MY4N	DC48 (S)
MY4N	DC6 (S)
MY4N-CR	AC100/110 (S)
MY4N-CR	AC110/120 (S)
MY4N-CR	AC200/220 (S)
MY4N-CR	AC220/240 (S)
MY4N-CR	AC24 (S)
MY4N-D2	DC100/110 (S)
MY4N-D2	DC12 (S)
MY4N-D2	DC125 (S)
MY4N-D2	DC24 (S)
MY4N-D2	DC48 (S)
MY4N-D2	DC6 (S)
MY4N1	DC100/110 (S)
MY4N1	DC12 (S)
MY4N1	DC24 (S)
MY4N1	DC48 (S)
MY4N1	DC6 (S)
MY4N1-D2	DC100/110 (S)
MY4N1-D2	DC12 (S)
MY4N1-D2	DC24 (S)
MY4N1-D2	DC48 (S)
MY4N1-D2	DC6 (S)
MY4Z	AC100/110 (S)
MY4Z	AC110/120 (S)
MY4Z	AC12 (S)
MY4Z	AC200/220 (S)
MY4Z	AC220/240 (S)
MY4Z	AC24 (S)
MY4Z	AC48/50 (S)
MY4Z	AC6 (S)
MY4Z	DC100/110 (S)
MY4Z	DC12 (S)
MY4Z	DC125 (S)
MY4Z	DC24 (S)
MY4Z	DC48 (S)
MY4Z	DC6 (S)
MY4ZIN	AC100/110 (S)
MY4ZIN	AC12 (S)
MY4ZIN	AC200/220 (S)
MY4ZIN	AC220/240 (S)
MY4ZIN	AC24 (S)

Models	Specification
MY4ZIN	AC48/50 (S)
MY4ZIN	AC6 (S)
MY4ZIN	DC100/110 (S)
MY4ZIN	DC12 (S)
MY4ZIN	DC125 (S)
MY4ZIN	DC24 (S)
MY4ZIN	DC48 (S)
MY4ZIN	DC6 (S)
MY4ZIN-CR	AC100/110 (S)
MY4ZIN-CR	AC200/220 (S)
MY4ZIN-CR	AC220/240 (S)
MY4ZIN-D2	DC100/110 (S)
MY4ZIN-D2	DC12 (S)
MY4ZIN-D2	DC24 (S)
MY4ZIN-D2	DC48 (S)
MY4ZIN-D2	DC6 (S)
MY4ZIN1	DC100/110 (S)
MY4ZIN1	DC12 (S)
MY4ZIN1	DC24 (S)
MY4ZIN1	DC48 (S)
MY4ZIN1	DC6 (S)
MY4ZIN1-D2	DC100/110 (S)
MY4ZIN1-D2	DC12 (S)
MY4ZIN1-D2	DC24 (S)
MY4ZIN1-D2	DC48 (S)
MY4ZIN1-D2	DC6 (S)
MY4ZN	AC100/110 (S)
MY4ZN	AC110/120 (S)
MY4ZN	AC12 (S)
MY4ZN	AC200/220 (S)
MY4ZN	AC220/240 (S)

Models	Specification
MY4ZN	AC24 (S)
MY4ZN	AC48/50 (S)
MY4ZN	AC6 (S)
MY4ZN	DC100/110 (S)
MY4ZN	DC12 (S)
MY4ZN	DC125 (S)
MY4ZN	DC24 (S)
MY4ZN	DC48 (S)
MY4ZN	DC6 (S)
MY4ZN-CR	AC100/110 (S)
MY4ZN-CR	AC110/120 (S)
MY4ZN-CR	AC200/220 (S)
MY4ZN-CR	AC220/240 (S)
MY4ZN-D2	DC100/110 (S)
MY4ZN-D2	DC12 (S)
MY4ZN-D2	DC125 (S)
MY4ZN-D2	DC24 (S)
MY4ZN-D2	DC48 (S)
MY4ZN-D2	DC6 (S)
MY4ZN1	DC100/110 (S)
MY4ZN1	DC12 (S)
MY4ZN1	DC24 (S)
MY4ZN1	DC48 (S)
MY4ZN1	DC6 (S)
MY4ZN1-D2	DC100/110 (S)
MY4ZN1-D2	DC12 (S)
MY4ZN1-D2	DC24 (S)
MY4ZN1-D2	DC48 (S)
MY4ZN1-D2	DC6 (S)

Specifications in this product news are as of the issue date and are subject to change without notice. Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products.