

Modifications Notices

General Purpose Relay

Issue Date
April 2, 2018
No. 2018E009A

Modification Notice of the additional identification data on the bottom of product for MY[] relay series due to the traceability reinforcement.

[Effective Date]

Effective as of our production in October, 2018.

[Applicable Model]

Model MY[] relay series
< Refer to the " [Details of applicable model] " . >

[Reason for change]






For the traceability reinforcement

[Change of products specification]

Unnecessary



[Changes]

Before the change	After the change
<p>Bottom of product 2D Cord : None</p> <div style="display: flex; justify-content: space-around;">   </div> <p style="display: flex; justify-content: space-around;"> MY4, MY4Z MY2 </p>	<p>Bottom of product 2D Cord : Marked on the product</p> <div style="display: flex; justify-content: space-around;">   </div> <p style="display: flex; justify-content: space-around;"> MY4, MY4Z MY2 </p> <p>[Product Image]</p> 

**This document had been distributed by Omron Electronic Components Europe B.V*

[Details of applicable model]

Models	Specification
MY2	AC100/110
MY2	AC110/120
MY2	AC12
MY2	AC200/220
MY2	AC220/240
MY2	AC24
MY2	AC48/50
MY2	AC6
MY2	DC100/110
MY2	DC12
MY2	DC125
MY2	DC24
MY2	DC48
MY2	DC6
MY2-CR	AC100/110
MY2-CR	AC110/120
MY2-CR	AC200/220
MY2-CR	AC220/240
MY2-D	DC100/110
MY2-D	DC12
MY2-D	DC125
MY2-D	DC24
MY2-D	DC48
MY2-D	DC6
MY2N	AC100/110
MY2N	AC110/120
MY2N	AC12
MY2N	AC200/220
MY2N	AC220/240
MY2N	AC24
MY2N	AC48/50
MY2N	AC6
MY2N	DC100/110
MY2N	DC12
MY2N	DC125
MY2N	DC24
MY2N	DC48
MY2N	DC6
MY2N-CR	AC100/110
MY2N-CR	AC110/120
MY2N-CR	AC200/220
MY2N-CR	AC220/240
MY2N-D2	DC100/110
MY2N-D2	DC12
MY2N-D2	DC125
MY2N-D2	DC24
MY2N-D2	DC48

Models	Specification
MY2N-D2	DC6
MY4	AC100/110
MY4	AC110/120
MY4	AC12
MY4	AC200/220
MY4	AC220/240
MY4	AC24
MY4	AC48/50
MY4	AC6
MY4	DC100/110
MY4	DC12
MY4	DC125
MY4	DC24
MY4	DC48
MY4	DC6
MY4-CR	AC100/110
MY4-CR	AC110/120
MY4-CR	AC200/220
MY4-CR	AC220/240
MY4-D	DC100/110
MY4-D	DC12
MY4-D	DC24
MY4-D	DC48
MY4-D	DC6
MY4N	AC100/110
MY4N	AC110/120
MY4N	AC12
MY4N	AC200/220
MY4N	AC220/240
MY4N	AC24
MY4N	AC48/50
MY4N	AC6
MY4N	DC100/110
MY4N	DC12
MY4N	DC125
MY4N	DC24
MY4N	DC48
MY4N	DC6
MY4N-CR	AC100/110
MY4N-CR	AC110/120
MY4N-CR	AC200/220
MY4N-CR	AC220/240
MY4N-D2	DC100/110
MY4N-D2	DC12
MY4N-D2	DC125
MY4N-D2	DC24
MY4N-D2	DC48

Models	Specification
MY4Z	AC100/110
MY4Z	AC110/120
MY4Z	AC12
MY4Z	AC200/220
MY4Z	AC220/240
MY4Z	AC24
MY4Z	AC48/50
MY4Z	DC100/110
MY4Z	DC12
MY4Z	DC125
MY4Z	DC24
MY4Z	DC48
MY4Z-CR	AC100/110
MY4Z-CR	AC110/120
MY4Z-CR	AC200/220
MY4Z-CR	AC220/240
MY4Z-D	DC100/110
MY4Z-D	DC12
MY4Z-D	DC125
MY4Z-D	DC24
MY4Z-D	DC48
MY4Z-D	DC6
MY4ZN	AC100/110
MY4ZN	AC110/120

Models	Specification
MY4ZN	AC12
MY4ZN	AC200/220
MY4ZN	AC220/240
MY4ZN	AC24
MY4ZN	AC48/50
MY4ZN	AC6
MY4ZN	DC100/110
MY4ZN	DC12
MY4ZN	DC125
MY4ZN	DC24
MY4ZN	DC48
MY4ZN	DC6
MY4ZN-CR	AC100/110
MY4ZN-CR	AC110/120
MY4ZN-CR	AC200/220
MY4ZN-CR	AC220/240
MY4ZN-CR	AC24
MY4ZN-D2	DC100/110
MY4ZN-D2	DC12
MY4ZN-D2	DC125
MY4ZN-D2	DC24
MY4ZN-D2	DC48
MY4ZN-D2	DC6

Specifications in this product news are as of the issue date and are subject to change without notice. Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products.