

Modifications Notices

Signal Relays

No. YPE-G6K-0967-3

Surface-Mounting Relay G6K(U)-2□(-Y) & Surface-Mounting High-Frequency Relay G6K(U)-2F-RF(-S,-T) Modification Notice .

[Effective Date]


Effective as of our production in April, 2013.

[Applicable Model]

Type G6K(U)-2□(-Y)

Type G6K(U)-2F-RF(-S,-T)

< Refer to the " [Details of applicable model] " . >





[Reason for change]

To facilitate the procurement of the part.









[Change of products specification]

Unnecessary

[Changes]

| Before the change | After the change |
|---|--|
| <p>Terminal treating the surface Sn plating</p> <p>Type G6K(U)-2P(-Y)</p> <p>The flank of the product</p>  <p>↓Expansion of a point</p> | <p>Terminal treating the surface Pre-soldering SnAgCu</p> <p>Type G6K(U)-2P(-Y)</p> <p>The flank of the product</p>  <p>↓Expansion of a point</p> |

[Changes]

| Before the change | After the change |
|---|---|
| <p>Type G6K(U)-2F(-Y) Type G6K(U)-2F-RF(-S,-T)</p> <p>The flank of the product</p>  <p>↓Expansion of a point</p>  | <p>Type G6K(U)-2F(-Y) Type G6K(U)-2F-RF(-S,-T)</p> <p>The flank of the product</p>  <p>↓Expansion of a point</p>  |
| <p>Type G6K(U)-2G-Y</p> <p>The flank of the product</p>  <p>↓Expansion of a point</p>  | <p>Type G6K(U)-2G-Y</p> <p>The flank of the product</p>  <p>↓Expansion of a point</p>  |

[Details of applicable model]

Type G6K(U)-2□(-Y)

| Models | Specification |
|-------------------|--------------------------------|
| Type G6K-2F | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-TR | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-Y | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-Y-TR | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2G-Y | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2G-Y-TR | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2P | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2P-Y | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-Y | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-Y-TR | DC2.4, 3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2G-Y | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2G-Y-TR | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2P-Y | DC3, 4.5, 5, 6, 9, 12, 24 |

Type G6K(U)-2F-RF(-S,-T)

| Model | Specification |
|------------------------|---------------------------|
| Type G6K-2F-RF | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-RF-S | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-RF-S-TR03 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-RF-S-TR09 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-RF-T | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-RF-TR03 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-RF-TR09 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-RF-T-TR03 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6K-2F-RF-T-TR09 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-RF | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-RF-S | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-RF-S-TR03 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-RF-S-TR09 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-RF-T | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-RF-TR03 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-RF-TR09 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-RF-T-TR03 | DC3, 4.5, 5, 6, 9, 12, 24 |
| Type G6KU-2F-RF-T-TR09 | DC3, 4.5, 5, 6, 9, 12, 24 |