ASSOCIATION CONN	Material Composi © Copyright 2005. IPC, INSTRIES® international and Pan-A	tion Dec Bannockb merican co	claration urn, Illinois. A pyright conver	ll rights reserved untions.	This doc level pa	cument is a decrets, the declara	claratio tion en	n of the substance compasses all low	es within the manufactur wer level materials for w	er listed hich the	item. Note: i manufacturer	f the item is an as has engineering	sembly with lower responsibility.	
1752-2 1.1	1.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x			Form Type * Declaration Class * Distribute Class 6 - RoHS Yes/No, Homogeneous Mat				o, Homogeneous Materi	rials and Mfg Information					
Supplier Info	ormation													
Company name*			Company unique ID			Unique ID	Unique ID Authority				Response Date*			
On Semiconductor										2017-1	1-13			
Contact Name			Title - Contact			Phone - C	Phone - Contact*			Email - Contact*				
Rastislav Drska			Product Enviro Compliance			+4213379	+421337902123				Rastislav.Drska@onsemi.com			
Authorized Representative*			Title - Representative			Phone - R	Phone - Representative*			Email - Representative*				
Rastislav Drska			Product Enviro Compliance			+4213379	+421337902123				Rastislav.Drska@onsemi.com			
Requ	Requester Item Number Mfr Item		n Number Mfr Item Name			Effective	Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
		NTMFS5	C404NT3G	NFET SO8FL 40	V 345A 8MOHM	2017-11-	13		MY1, SEREMBAN		112.54	mg	Each	
Manufacturi	ing Proccess Information	n						•				•	_	
Term	Terminal Plating / Grid Array Material Ter		erminal Base Alloy J-STD-020 MSL Rat		J-STD-020 MSL Rating	Peak Process Body Temperature Max Time at Peak			Temperature Number of Reflow Cycles					
					1	260		C	30	seco	nds 3			

RoHS Material Composition Declaration		Declaration Type *		Detailed							
RoHS Directive 2011/65/EU	RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, itssuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Itaability and the Company's remedies for issues that arise regarding information the Supplier provides in this f											
<b>RoHS Declaration *</b> 4 - Item(s)	) does not contain RoHS restricted substances per	the definition above except for selected exempti	ions	Supplier Acceptance *	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).											
Exemption List Version	EL-2006/690/EC			<u> </u>							
Declaration Signature											
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.											

Supplier Digital Signature

Rastislav Drska

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.61	mg	Supplier	Silicon (Si)	7440-21-3		0.61	mg
Die Attach	1.99	mg	Supplier	Silver (Ag)	7440-22-4		0.0498	mg
			A	Lead (Pb)	7439-92-1	7a	1.8407	mg
			Supplier	Tin (Sn)	7440-31-5		0.0995	mg
Lead Frame	58.99		Supplier	Silver (Ag)	7440-22-4		0.0354	mg
			Supplier	Iron (Fe)	7439-89-6		0.059	mg
			Supplier	Copper (Cu)	7440-50-8		58.8779	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0177	mg
Mold Compound-Black	49.2		Supplier	Phenolic Resin	n/a		2.46	mg
			Supplier	Epoxy + Phenol Resin	n/a		3.444	mg
			Supplier	Carbon Black (C)	1333-86-4		0.246	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		43.05	mg
Plating	1.7	mg	Supplier	Tin (Sn)	7440-31-5		1.7	mg
Wire Bond	0.05	mg	Supplier	Copper (Cu)	7440-50-8		0.05	mg