ASSOCIATION CONNECTING LECTRONICS INDUSTRIES INCLUSTRIES INTERNATION	sition Dec C, Bannockb American co	claration ourn, Illinois. A opyright conver	ll rights reserved ur tions.	nder both This do	cument is a dearts, the declara	claratio tion en	n of the substance compasses all low	es within the manufactur ver level materials for wl	er listed	item. Note: if t manufacturer h	he item is an as as engineering	sembly with lower responsibility.	
1752-2 1.1 IPC Web Site for Information on IPC-1752 Standard   http://www.ipc.org/IPC-175x			Form Type *Declaration Class *DistributeClass 6 - RoHS Yes/No, Homogeneous Ma				o, Homogeneous Materia	erials and Mfg Information					
Supplier Information													
Company name*		Company unique ID			Unique IE	Unique ID Authority			Response Date*				
On Semiconductor									2017-11	1-13			
Contact Name		Title - Contact			Phone - C	Phone - Contact*			Email - Contact*				
Rastislav Drska		Product Enviro Compliance			+4213379	+421337902123				Rastislav.Drska@onsemi.com			
Authorized Representative*		Title - Representative			Phone - R	Phone - Representative*			Email - Representative*				
Rastislav Drska Product Er		Product Envir	Enviro Compliance		+4213379	+421337902123			Rastislav.Drska@onsemi.com				
Requester Item Number Mfr Ite		Number	Number Mfr Item Name		Effective	fective Date Version M		Manufacturing Site	Weight*		UOM	Unit Type	
	NCP510	106APG NCP5106A IN PD		IP	2017-11-	-13		PH1, OSPI-CAR P1 BI (PTK)	PI-CAR P1 BE		mg	Each	
Manufacturing Proccess Information	on												
Terminal Plating / Grid Array Material		Terminal Base Alloy J-ST		-STD-020 MSL Rating	Peak	Peak Process Body Temperature Max Time at Peak			Temperature Number of Reflow Cycles				
			1		260		С	30	seco	nds 3			

<b>RoHS Material Composition Declaration</b>			Declaration Type *	Detailed
RoHS Directive 2011/65/EU		ass (1000 PPM) in homogeneous material for: Le 0.01% by mass (100 PPM) of homogeneous mate		brominated Biphenyls (PBB), Polybrominated
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components.Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a that agreement, will be the sole and exclusives	ed biphenyls and/or polybrominated diphenyl eth of an applicable quantity limit, please indicate be ies that it gathered the information it provides in .Supplier acknowledges that Company will rely e relied on informationprovided by others in con y others, Supplier agrees that, at a minimum, itss and the Supplier enter into a written agreement w	1/65/EU and implemented by the laws of the Eu- ters (each a "RoHS restricted substance") in exce- elow which, if any, RoHS exemption you believe this form using appropriate methods to ensure it on this certification in determining the complian npleting this form, and that Supplier may not hav uppliers have provided certifications regarding the vith respect to the identified part, the terms and cc y's remedies for issues that arise regarding inform to such part shall apply.	ess of the applicable quantity limit identified above may apply. If the part is an assembly with lowe s accuracy and that such information is true and ce of its products with European Union member we independently verified such information. How heir contributions to the part, and those certificat anditions of that agreement, including any warra	ove. If a homogeneous material within the part er level components, the declaration shall correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. vever, in situations where Supplier has not tions are at least as comprehensive as the inty rights and/or remedies provided as part of
RoHS Declaration *   1 - Item(s)	does not contain RoHS restricted substances per	the definition above	Supplier Acceptance *	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per the defin	nition above except for defined RoHS exempti	ons, then select the corresponding response in	n the RoHS Declaration above and choose all
Exemption List Version	EL-2006/690/EC			
Declaration Signature				
Instructions: Complete all of the required fie Requester) and click on Submit Form to have	elds on all pages of this form. Select the "Acce re the form returned to the Requester.	epted" on the Supplier Acceptance drop-down	. This will display the signature area. Digitall	ly sign the declaration (if required by the
Supplier Digital Signature	Rastislav Drska			

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).					· · · · · · · · · · · · · · · · · · ·		
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.19	mg	Supplier	Silicon (Si)	7440-21-3		2.19	mg
Die Attach	8.92	mg	Supplier	Silver (Ag)	7440-22-4		6.69	mg
			Supplier	Epoxy resins	129915-35-1		2.23	mg
Lead Frame	139.78	mg	Supplier	Silver (Ag)	7440-22-4		0.9785	mg
			Supplier	Zinc (Zn)	7440-66-6		0.2796	mg
			Supplier	Iron (Fe)	7439-89-6		3.6343	mg
			Supplier	Copper (Cu)	7440-50-8		134.8877	mg
Mold Compound-Black	317.53	mg	Supplier	Epoxy + Phenol Resin	n/a		33.3406	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		284.1893	mg
Plating	13.56	mg	Supplier	Tin (Sn)	7440-31-5		13.56	mg
Wire Bond - Au	0.18	mg	Supplier	Gold (Au)	7440-57-5		0.18	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)