ASSOCIATION CO	Material Compo © Copyright 2005. IPO international and Pan-	osition Dec C, Bannockt -American co	claration ourn, Illinois. A opyright conver	ll rights reserved untions.	under both	This docum level parts,	ent is a declarat the declaration of	ion of the su encompasses	ıbstance s all low	es within the manufactur wer level materials for w	er listed iten hich the man	n. Note: if t ufacturer h	he item is an as as engineering	sembly with lower responsibility.	
1752-2 1.1	IPC Web Site for Information on IPC-1752 Standard F			Form Type Distribute						als and Mfg	Informatio	n			
Supplier I	nformation														
Company name*			Company unique ID				Unique ID Authority				Response Date*				
On Semiconductor											2017-11-13	;			
Contact Nan	ne	Title - Contact				Phone - Contact*				Email - Contact*					
Rastislav Dr	rska	Product Enviro Compliance				+421337902123				Rastislav.Drska@onsemi.com					
Authorized I	Representative*	Title - Representative				Phone - Representative*				Email - Representative*					
Rastislav Drska			Product Enviro Compliance				+421337902123					Rastislav.Drska@onsemi.com			
R	Requester Item Number Mfr It		n Number Mfr Item Name]		Version		Manufacturing Site	We	ight*	UOM	Unit Type	
		NTMFS4	4926NT3G	NFET SO8FL 30	V 74.6A 7MOH		2017-11-13			MY1, SEREMBAN	107	7.2	mg	Each	
Manufacti	uring Proccess Informati	ion						•							
Те	erminal Plating / Grid Array Mat	terial T	ial Terminal Base Alloy		J-STD-020 MSL	SL Rating Pea		Peak Process Body Temperature Max Time at Peak		Temperature	Number	of Reflow Cyc	les		
					1		260		C	30	seconds	3			

RoHS Material Composition Declaration		Declaration Type *		Detailed							
RoHS Directive 2011/65/EU	oHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier has not onditions of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicab											
RoHS Declaration * 4 - Item(s)) does not contain RoHS restricted substances per	the definition above except for selected exempti	ions	Supplier Acceptance *	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).											
Exemption List Version	EL-2006/690/EC			<u> </u>							
Declaration Signature											
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.											

Supplier Digital Signature

Rastislav Drska

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.73	mg	Supplier	Silicon (Si)	7440-21-3		0.73	mg
Die Attach	2.41		Supplier	Silver (Ag)	7440-22-4		0.0603	mg
			A	Lead (Pb)	7439-92-1	7a	2.2293	mg
			Supplier	Tin (Sn)	7440-31-5		0.1205	mg
Lead Frame	58.77		Supplier	Silver (Ag)	7440-22-4		0.0353	mg
			Supplier	Iron (Fe)	7439-89-6		0.0588	mg
			Supplier	Copper (Cu)	7440-50-8		58.6583	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0176	mg
Mold Compound-Black	43.54		Supplier	Phenolic Resin	n/a		2.177	mg
			Supplier	Epoxy + Phenol Resin	n/a		3.0478	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2177	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		38.0975	mg
Plating	1.7	mg	Supplier	Tin (Sn)	7440-31-5		1.7	mg
Wire Bond	0.05	mg	Supplier	Copper (Cu)	7440-50-8		0.05	mg