ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					Materials a	nd Mfg Iı	ıformatioı	1	
Supplier Inform	ation					·								
Company name*			Company unique ID			Unique ID Authority					Response Date*			
onsemi										202	2022-02-11			
Contact Name			Title - Contact			Phone - Contact*				Em	Email - Contact*			
Product-Env-Stewa	rds	Produc	Product Enviro Compliance			NA				Pr	Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative			Phone - Representative*				Em	Email - Representative*			
Product-Env-Stewards			Product Enviro Compliance			NA				Pr	Product-Env-Stewards@onsemi.com			
Requeste	r Item Number	Mfr Item Number	em Number Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Wei	ght*	UOM	Unit Type
	1	NOIP1FN1300A-QTI PY		PYTHON 1300 NIR LVDS, Tape on Lid		2022-02-11 THA			1056.06		mg	Each		
Ianufacturing l	Proccess Information		'								, ·			
Terminal I	Plating / Grid Array Material	Terminal 1	Terminal Base Alloy .		STD-020 MSL Rating		Peak Process Body Temperatur		re Max Time at Peak Tempera		perature	nture Number of Reflow Cycles		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		(no CU Alloy	CU Alloy 3			260		C 3		5	seconds	3		
Comments														
TTENTION: MSL	3 Rated item requires Bak	e and Dry Pack	(after electrical test)											
	on regarding material comp		`											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of						
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

<b>Homogeneous Material</b>	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	665.12	mg	Supplier	Cobalt (Co)	7440-48-4		0.0665	mg
			Supplier	Molybdenum (Mo)	7439-98-7		0.0665	mg
			Supplier	Tungsten (W)	7440-33-7		7.9814	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		41.9026	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		589.2963	mg
			В	Nickel (Ni)	7440-02-0		1.8623	mg
			Supplier	Gold (Au)	7440-57-5		1.3302	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		22.614	mg
Die	119.22	mg	Supplier	Silicon (Si)	7440-21-3		119.22	mg
Die Attach	48.62	mg	Supplier	Silver (Ag)	7440-22-4		41.327	mg
			Supplier	Epoxy resins	129915-35-1		7.293	mg
Glass Attach Epoxy	3.41	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		1.4186	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.0102	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		1.364	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0887	mg
			Supplier	Additive	1760-24-3, 2530- 83-8		0.5286	mg
Glass Lid /Cap	219.48	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		18.4363	mg
-			Supplier	Silica Amorphous (SiO2)	7631-86-9		130.5467	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		17.9974	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		17.3828	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		35.1168	mg
Wire Bond - Al	0.21	mg	Supplier	Aluminum (Al)	7429-90-5		0.21	mg