


Product Change Notification (PCN)

Date: 10.01.2019
No: T-1901

TQ, TQ SMD & TP relays

Notification of change of TQ, TQ SMD & TP relays manufacturing locations



We would like to inform you about the production location change of the TQ, TQ SMD & TP relay.

1. Affected types

TQ relays (TQ2 * * * * *)

TQ relay SMD type (TQ2S * * * * *)

TP relays (TP2 * * * * *)

2. Schedule

Products will be shipped from the new production location as follows:

TQ relays: from October 2019 onwards

TQ SMD type and TP relays: from November 2019 onwards

3. Contents of change

1. Manufacturing locations

Before Change	After Change
Panasonic Switching Technologies Co., Ltd. Obihiro factory	Cooperating company in Japan

2. Lot number suffix

Before Change	After Change
Suffix on lot number "H"	Suffix on lot number "TH"

4. Part number, specification and price remain unchanged.

Panasonic Electric Works Europe AG

Robert-Koch-Straße 100, 85521 Ottobrunn, Germany
Tel.: +49 89 45354-1000 • Fax: +49 89 45354-2111

Part No	Description
TQ2SL-L-3V	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SA-L-24V-Z	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SS-5V-Z	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2-L-6V	Signal-Relay, 2-Form-C, 1 coil latching, PC board
TQ2-4.5V	Signal-Relay, 2-Form-C, Single side stable, PC board
TQ2-6V	Signal-Relay, 2-Form-C, Single side stable, PC board
TQ2-9V	Signal-Relay, 2-Form-C, Single side stable, PC board
TQ2-L-3V	Signal-Relay, 2-Form-C, 1 coil latching, PC board
TQ2-L2-12V	Signal-Relay, 2-Form-C, 2 coil latching, PC board
TQ2SAL4,5ULCSAJ	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SL5ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SA48ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SA6ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SS3ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SAL21,5ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SLL224J	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SA-L-3V-Z	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SL-24V	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SS-L2-5V-Z	Signal Relay; 2-Form-C; 2 coil latching, SMD
TQ2SL-L-5V	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2-L-9V	Signal-Relay, 2-Form-C, 1 coil latching, PC board
TQ2-12V-3	Signal-Relay, 2-Form-C, Single side stable, PC board, withstand strong vibration
TQ2SA48ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SA9ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SSL23ZJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SAL24,5ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SAL29ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SL-L2-3V-Z	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SAL1,5ZJ	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SA-12V-Z-H167	Signal-Relay, Special type for Hekatron, Special humidity card and dry silica-gel
TQ2SA24ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2-24V	Signal-Relay, 2-Form-C, Single side stable, PC board
TQ2-L2-9V	Signal-Relay, 2-Form-C, 2 coil latching, PC board
TQ2SA1,5ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SAL224ZJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SL12ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SAL26ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD



Part No	Description
TQ2-L-24V	Signal-Relay, 2-Form-C, 1 coil latching, PC board
TQ2SL-L-3V-Z	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ22M24ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, 2 M = M.B.B., PC board
TQ2SAL9ULCSAJ	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SA-5V-Y	Signal-Relay, 2-Form-C, Single side stable, semi standard with humidity card and silica-gel, SMD
TQ2SAL3ULCSAJ	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SAL23ZJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SA6ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SA4,5ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2-L2-3V	Signal-Relay, 2-Form-C, 2 coil latching, PC board
TQ2SAL5ULCSAJ	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SA5ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SA-L-4.5V-Z	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SLL29J	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SSL29ZJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SL-12V	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2H-5V	Signal Relay; 2-Form-C; Self-clinching terminal; Single side stable
TQ2SA-24V-Z-H167	Signal-Relay, Special type for Hekatron, Special humidity card and dry silica-gel
TQ2-L2-24V	Signal-Relay, 2-Form-C, 2 coil latching, PC board
TQ2SA12ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SAL25ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SA12ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SAL25ZJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SAL224ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SA5ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SA3ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SAL12ZJ	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SAL212ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SS5ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SL5J	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SLL25J	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SLL24,5J	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SS12ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SA3ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SAL23ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2-L2-5V	Signal-Relay, 2-Form-C, 2 coil latching, PC board
TQ2-L-5V	Signal-Relay, 2-Form-C, 1 coil latching, PC board
TQ2SA9ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD



Part No	Description
TQ2SA4,5ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SAL12ULCSAJ	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2SLL26J	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SL6J	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2-L-4.5V	Signal-Relay, 2-Form-C, 1 coil latching, PC board
TQ2SAL212ZJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2-3V	Signal-Relay, 2-Form-C, Single side stable, PC board
TQ2SAL29ZJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SSL212ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SAL24ULCSAJ	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2-48V	Signal-Relay, 2-Form-C, Single side stable, PC board
TQ2-L2-6V	Signal-Relay, 2-Form-C, 2 coil latching, PC board
TQ2-L2-4.5V	Signal-Relay, 2-Form-C, 2 coil latching, PC board
TQ2SA-L-1,5V	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2-2M-12V	Signal-Relay, 2-Form-C, Single side stable, 2 M = M.B.B., PC board
TQ2SL4,5ZJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SSL25ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SSL212ZJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2SLL24,5ZJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2-L-12V	Signal-Relay, 2-Form-C, 1 coil latching, PC board
TQ2SAL24,5ZJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TQ2-12V	Signal-Relay, 2-Form-C, Single side stable, PC board
TQ2SA24ULCSAJ	Signal-Relay, 2-Form-C, Single side stable, SMD
TQ2SAL5ZJ	Signal-Relay, 2-Form-C, 1 coil latching, SMD
TQ2-5V	Signal-Relay, 2-Form-C, Single side stable, PC board
TQ2SSL23ULCSAJ	Signal-Relay, 2-Form-C, 2 coil latching, SMD
TP2-4.5V	THT TQ with same specification than SMD type; Signal-Relay, 2-Form-C, Single side stable, PC board

January / 2019

