

Terminal Part Number: 15366684
Surface Plating: AU
Material Thickness [mm]: 0,30
Cross Section [mm²]: 2,00 | 3,00

This document is non-contractual
and for information only.



For more information, please
consult your local sales office

Cable Type codes: 1005
Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
Insulation Range Φ[mm]: 2,45 - 3,25
Seal(s): 15366067

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 2,00 / 15366067		2,58	200	1,70	0,05	2,60	0,10	4,40	0,10	4,80	0,10
1005 3,00 / 15366067		3,13	250	2,10	0,05	2,65	0,10	4,90	0,10	4,90	0,10

Cable type code legend:

1005:
Industry Designator: SAE
Conductor Material: COPPER
Conductor Plating: NONE
Insul. Material: PVC, PVDF, XLPE
Insul. Wall Designator: THIN



Terminal Part Number: 15366684
Surface Plating: AU
Material Thickness [mm]: 0,30
Cross Section [mm²]: 2,00 | 3,00

This document is non-contractual
and for information only.

For more information, please
consult your local sales office



Cable Type codes: 1007
Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
Insulation Range Φ[mm]: 2,85 - 3,81
Seal(s): 15366067 | 12191235

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 2,00 / 15366067		2,98	200	1,70	0,05	2,60	0,10	4,50	0,10	4,80	0,10
1007 3,00 / 12191235		3,63	250	2,10	0,05	2,65	0,10	5,00	0,10	4,90	0,10

Cable type code legend:

1007:

Industry Designator: SAE
Conductor Material: COPPER
Conductor Plating: NONE
Insul. Material: PVC, XLPA/PVDF, XLPE
Insul. Wall Designator: REGULAR



Crimp Information Sheet

DELPHI

Terminal Part Number: 15366684

Surface Plating: AU

Material Thickness [mm]: 0,30

Cross Section [mm²]: 2,00 | 2,50

*This document is non-contractual
and for information only.*

*For more information, please
consult your local sales office*

Cable Type codes: 2010

Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY

Insulation Range Φ [mm]: 2,30 - 3,00

Seal(s): 15366066 | 15366067

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2010 2,00 / 15366066		2,46	180	1,75	0,05	2,60	0,10	4,80	0,10	5,00	0,10
2010 2,50 / 15366067		2,80	225	1,85	0,05	2,60	0,10	4,50	0,10	4,90	0,10

Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B



Industry Designator: DIN

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC

Insul. Wall Designator: THIN



Terminal Part Number: 15366684
Surface Plating: AU
Material Thickness [mm]: 0,30
Cross Section [mm²]: 2,50

*This document is non-contractual
and for information only.*

*For more information, please
consult your local sales office*

Cable Type codes: 8000
Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
Insulation Range Φ[mm]: 2,70 - 3,00
Seal(s): 15366067

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
8000 2,50 / 15366067		2,85	225	1,85	0,05	2,60	0,10	4,50	0,10	4,90	0,10

Cable type code legend:

8000:

Industry Designator: N/G
Conductor Material: COPPER
Conductor Plating: NONE
Insul. Material: SYNTHRESIN
Insul. Wall Designator: THIN

