




SECTION C-C  
SCALE 4:1




PORTE-CLIPS AVEC SHUNT FEMALE CONNECTOR WITH SHUNT			
MVL		DELPHI	
REFERENCE PART NUMBER	INDICE REVISION	REFERENCE PART NUMBER	INDICE REVISION
211 PC 26 9 S 0 047	B	33510887	01

PORTE-CLIPS SANS SHUNT FEMALE CONNECTOR WITHOUT SHUNT			
MVL		DELPHI	
REFERENCE PART NUMBER	INDICE REVISION	REFERENCE PART NUMBER	INDICE REVISION
211 PC 26 9 S 0 046	B	10811873	01

IMPLANTATION DES ALVEOLES / CAVITIES LAY OUT



PORTE-LANGUETTE 29V 29W MALE CONNECTOR	REFERENCE DELPHI DELPHI P/N	10811880
	REFERENCE MVL MVL P/N	211 PL 29 9 S 0 042
PLAN D'EMPREINTE FOOTPRINT'S DRAWING		211 FT 0482
PRODUITS ASSOCIES ASSOCIATED PRODUCTS		




Ø DE FILS MINI ET MAXI ADMISSIBLE  
POUR GARANTIR L'ETANCHEITE DU PRODUIT  
ALLOWABLE MINIMUM AND MAXIMUM WIRES DIAMETER  
TO GUARANTEE THE WATERTHICKNESS OF THE PRODUCT

TYPE DE CONTACT TYPE OF CONTACT	Ø MINI MINIMUM Ø	Ø MAXI MAXIMUM Ø
0.635	1.35	1.90
1.5	1.80	2.80
2.8	2.70	3.90

NOTA : LES COTES INDIQUEES EN GRAS ET ENCADREES  
SONT DES COTES D'ASSEMBLAGES.  
NOTE : BOLD AND BOXED DIMENSIONS ARE ASSEMBLY  
DIMENSIONS.

LE PORTE-CLIPS EST LIVRE AVEC L'ETRIER EN POSITION FERME.  
THE FEMALE CONNECTOR IS DELIVERED WITH LOCKING CAM IN  
CLOSED POSITION.



NOMENCLATURE / BILL OF MATERIAL

REPERE BALLON	QUANTITE QUANTITY	DESIGNATION DESCRIPTION	MATIERE MATERIAL	COULEUR COLOR	REFERENCE MVL MVL P/N
8	1	SHUNT SHUNT	Cu Mgl	-	211 C 124
7	1	GROMMET (CONTACT 0.635) MATTE SEAL (0.635 TERMINALS)	SILICONE SILICON	ORANGE ORANGE	211 M 3 128
6	1	GROMMET (CONTACT 1.5 & 2.8) MATTE SEAL (1.5 & 2.8 TERMINALS)	SILICONE SILICON	JAUNE YELLOW	211 M 4 129
5	1	PLAQUETTE ARRIERE REAR GRID	PBT 15% FV PBT GF 15	GRIS GREY	211 M 8 127
4	1	VERROU SECONDAIRE SECONDARY LOCK	PBT 30% FV PBT GF 30	JAUNE YELLOW	211 M 4 103
3	1	ETRIER SLIDER DEVICE	PA 6.6 30% FV PA 6.6 GF 30	NOIR BLACK	211 M 0 102
2	1	JOINT INTERFACIAL MATING SEAL	SILICONE SILICON	GRIS GREY	211 M 8 106
1	1	PORTE-CLIPS FEMALE HOUSING	PBT 30% FV PBT GF 30	NOIR BLACK	211 I 0 07X

2.8 x 0.8 SICMA 3	1 to 2	211 CC 3 S X I X 0
2.8 x 0.8 SICMA 2	1 to 3	211 CC 3 S X X 20
1.5 x 0.8 SICMA 3	1 to 2	211 CC 2 S X X 60
1.5 x 0.8 SICMA 2	1 to 2	211 CC 2 S X X X 0
1 x 0.635 MICROSICMA	0 to 1	211 CC 1 S X X 24
TYPE CLIP FEMALE TERMINAL TYPE	GAMME RANGE	REFERENCE

ECN-NO. NUMBER ECN	POSITION POSITION	CHANGE DESCRIPTION MODIFICATION	DELPHI P/N ADDED
PROJECT SPEC. SPECIFIC PRODUCT	PACKAGING SPEC. SPECIFIC PACKAGE	APPLICATION SPEC. SPECIFIC APPLICATION	COPYRIGHT DELPHI CORPORATION AND/OR ITS AFFILIATES. ALL RIGHTS RESERVED. REVISED
TOLERANCES TOLERANCES	±0.3, ±0.3	MATERIAL: SEE TABLE	STATE DE SURFACE
CONTRIBUTOR NUMBER	211PL29950042	COLOR: SEE TABLE	DELPHI ELECTRICAL/ELECTRONIC ARCHITECTURE
DO NOT MEASURE DRAWING	NE PAS MESURER LE DRESSAGE	ECO EXP. CODE FE	DELPHI
DATE DATE	NAME NOM	TITLE DESIGNATION	DRAWING NUMBER REF. PLAN
20150904	TRANCART	PROJECT PROJECT	211FT0430
20150904	F PALMIRE	PROJ. PROJ.	STATUS ETAT
20150904	S BLACOTE	PROJ. PROJ.	211FT0430
20150904	PROJ. MENARD	ESR NO. NUMERO ESR	26 WAY DOOR TO BODY CONNECTOR
20150904	NUMERO CAP.	NUMERO CAP.	211FT0430
20150904	NUMERO CAP.	NUMERO CAP.	211FT0430