

Product Change Notification & Product Discontinuation Notification [PCN & PDN]

Manufacturer master data	
Company short name: Phoenix Contact	
Title / short description: Change to the side printing and to the packaging label	
Type of notification:	Issue date: 2019-1-7
	Document ID: CCK182014
PCN format version: VDMA24903_1.0	Document Revision: 00
Company name: PHOENIX CONTACT GmbH & Co. KG	
Street: Flachsmarktstraße 8	Contact type: MANUFACTURER
ZIP code: 32825	Business Unit: Interface Components (IF)
City: Blomberg	E-Mail: info@phoenixcontact.com
State: North-Rhine Westphalia	First name: Timo
Country: DE	Surname: Balzereit

Cause of change

Phoenix Contact Product Category

- Relay modules

Item category by VDMA 24903

- Electro mechanical

Item change type by VDMA 24903

- Marking

Item change type by smartPCN	
Group	Description of change
Product design change	Change of product marking

Short-term change (< 6 months) or discontinuation (< 12 months), due to:

- Software / Firmware Bugfix
- Short-term delivery stop by supplier
- Short-term recall by supplier
- Force majeure
- Product improvement with customer benefits
- Others

Others: *Short-notice realization of the printing specifications for products with EAC approval*

Life cycle data

Start of Production - SOP (optional)

End of Sales - EOS (optional)

End of production / Effective date - EOP (mandatory)

2019-03-01

Last Time Delivery - LTD (optional)

End of Service and Repair (EOSR) - (optional)

Description of change

Technical description – purpose

The printing will be adapted in order to satisfy legal and approval-related specifications.

Technical description – detail

The printing change applies to all listed products. As of the date of validity of the respective new versionscharge, the products will be delivered printed with the complete postal address of Phoenix Contact GmbH & Co. KG as well as the EAC logo. The difference between the old and new printing is illustrated in the figures in the attachment. The assured technical properties will remain unchanged.

Identifying characteristics

Versionscharge V/C on the packaging label

Attachments

- CCK182014_Printing_OLD.png
- CCK182014_Printing_NEW.png
- Material_list.csv
- PCNmaster_DE.pdf
- PCNmaster_EN.pdf

Material list

Item	Hardware / Firmware old	Hardware / Firmware new	Substitute item
2903272 DEK 1,5-LA-R-KIT/SC035	01	02	
2941536 DEK-OE- 60DC/48DC/100	05	06	
2940207 DEK-OE- 24DC/48DC/100	05	06	
2940210 DEK-OE-230AC/48DC/100	05	06	
2940223 DEK-OE- 5DC/48DC/100	05	06	
2940294 DEK-OE-125DC/48DC/100/T	05	06	
2941154 DEK-REL- 24/O/1	05	06	
2941387 DEK-OV- 12DC/24DC/ 3	05	06	
2941659 DEK-OE-120AC/48DC/100	05	06	
2961749 DEK-OV- 12DC/24DC/ 10	05	06	
2961752 DEK-OV- 5DC/24DC/ 10	04	05	
2964050 DEK-REL- 24/1/SEN	05	06	
2964063 DEK-REL- 24/1/AKT	05	06	
2964131 DEK-REL- 24/1/S	05	06	
2941170 DEK-REL- 5/O/1	05	06	
2941183 DEK-REL- 5/I/1	05	06	
2941361 DEK-OV- 5DC/24DC/ 3	05	06	
2941374 DEK-OV- 24DC/24DC/ 3	04	05	
2964254 DEK-OE- 24DC/48DC/100/T	05	06	
2964270 DEK-OE- 5DC/24DC/100KHZ	05	06	
2964283 DEK-OE- 24DC/24DC/100KHZ	05	06	

Item	Hardware / Firmware old	Hardware / Firmware new	Substitute item
2964296 DEK-OV- 24DC/ 24DC/ 3/AKT	05	06	
2964319 DEK-TR/INV	05	06	
2964322 DEK-OV- 24DC/ 24DC/ 10	05	06	
2964348 DEK-OE- 24DC/ 24DC/100KHZ-G	05	06	
2964364 DEK-OE- 24DC/ 5DC/100KHZ-G	05	06	
2964487 DEK-OE- 12DC/ 48DC/100	04	05	
2964500 DEK-REL-G24/21	05	06	
2964542 DEK-OE- 5DC/ 5DC/100KHZ-G	05	06	
2964555 DEK-OE- 5DC/ 24DC/100KHZ-G	05	06	
2964623 DEK-OV- 5DC/240AC/800	05	06	
2964636 DEK-OV- 12DC/240AC/800	05	06	
2964649 DEK-OV- 24DC/240AC/800	04	05	
2964678 DEK-OE-230AC/ 48DC/100/SO 46	04	05	
2964940 DEK-REL- 24/1/ SEN/SO123	05	06	
2940171 DEK-REL- 24/I/1	05	06	

**PHOENIX
CONTACT**

PHOENIX CONTACT GmbH & Co. KG

Flachmarktstr. 8


32825 Blomberg, Germany

DEK-REL- 24/I/1

Ord.-No.: 29 40 17 1

CE

EAC



cULus

30-14 AWG, Solid & Stranded, Field & Factory


Torque - 5.0 lb-in NJ

**PHOENIX
CONTACT**

CE

DEK-REL-24/I/1

Ord.-No.: 29 40 17 1



c RL us

30-14 AWG, Solid & Stranded, Field & Factory
Torque - 5.0 lb-in NJ

Phoenix Contact Art.Nr.;Phoenix Contact Art.Bez.;Bemerkung

2903272 5-LA-R-KIT/ HW/FW neu: 2

2941536 HW/FW neu: 6

2940207 HW/FW neu: 6

2940210 HW/FW neu: 6

2940223 HW/FW neu: 6

2940294 HW/FW neu: 6

2941154 HW/FW neu: 6

2941387 HW/FW neu: 6

2941659 HW/FW neu: 6

2961749 HW/FW neu: 6

2961752 HW/FW neu: 5

2964050 HW/FW neu: 6

2964063 HW/FW neu: 6

2964131 HW/FW neu: 6

2941170 HW/FW neu: 6

2941183 HW/FW neu: 6

2941361 HW/FW neu: 6

2941374 HW/FW neu: 5

2964254 HW/FW neu: 6

2964270 HW/FW neu: 6

2964283 HW/FW neu: 6

2964296 HW/FW neu: 6

2964319 HW/FW neu: 6

2964322 HW/FW neu: 6

2964348 HW/FW neu: 6

2964364 HW/FW neu: 6

2964487 HW/FW neu: 5

2964500 HW/FW neu: 6

2964542 HW/FW neu: 6

2964555 HW/FW neu: 6

2964623 HW/FW neu: 6

2964636 HW/FW neu: 6

2964649 HW/FW neu: 5

2964678 HW/FW neu: 5

2964940 HW/FW neu: 6

2940171 HW/FW neu: 6