

## Cable sleeve - CES-SRC-BK - 0801718

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Small, unslotted cable sleeves suitable for cables with a diameter of 2 ... 11 mm, material: NBR

### Product description

Unslotted sleeves for accommodating cables and lines with a diameter of 2 ... 11 mm, can be used in CES sealing frames



### Key commercial data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Weight per Piece (excluding packing) | 8.0 GRM  |
| Custom tariff number                 | 40169300 |
| Country of origin                    | Taiwan   |

### Technical data

#### Dimensions

|                         |                |
|-------------------------|----------------|
| External cable diameter | 2 mm ... 11 mm |
| Length                  | 29.5 mm        |
| Width                   | 19.5 mm        |
| Height                  | 17 mm          |

#### Ambient conditions

|                                 |  |
|---------------------------------|--|
| Degree of protection            | IP54 (DIN IEC 60529)   |
|                                 | IP65 (when using a CES-B..SFFS-PLBK sealing frame with screw locking directly on the housing panel (perpendicular mounting or underwall mounting) and a 3.6 mm wide cable binder (e.g., item 3240744)) |
| Ambient temperature (operation) | -40 °C ... 125 °C (static)   |

#### General

|                     |  |
|---------------------|--|
| Product description | Unslotted sleeves for accommodating cables and lines with a diameter of 2 ... 11 mm, can be used in CES sealing frames |
| Material            | NBR  |

## Cable sleeve - CES-SRC-BK - 0801718

### Technical data

#### General

|       |       |
|-------|-------|
| Color | black |
|-------|-------|

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27081002 |
| eCl@ss 4.1 | 27081002 |
| eCl@ss 5.0 | 27081002 |
| eCl@ss 5.1 | 27081002 |
| eCl@ss 6.0 | 27081002 |
| eCl@ss 7.0 | 27081002 |
| eCl@ss 8.0 | 27081002 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000879 |
| ETIM 4.0 | EC000451 |
| ETIM 5.0 | EC000451 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30212109 |
| UNSPSC 7.0901 | 39121708 |
| UNSPSC 11     | 39121708 |
| UNSPSC 12.01  | 39121708 |
| UNSPSC 13.2   | 39121708 |

### Accessories

#### Accessories

##### Cable tie

Cable tie - WT-HF 2,5X98 BK - 3240733



Cable binders for quick and secure bundling, standard version


### Drawings

## Cable sleeve - CES-SRC-BK - 0801718

Catalog  
photo

Dimensioned drawing

Figure  
may  
contain  
other  
products.



Dimensional drawing

---

Phoenix Contact 2014 © - all rights reserved  
<http://www.phoenixcontact.com>