

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Pg16 half screw connection, plastic, comprising rubber seal with one hole and a pressure screw, for type 1 housing, cable: 7 - 10.5 [mm]



## Key commercial data

Packing unit	1 pc
Minimum order quantity	5 pc
GTIN	4 017918 146283
Weight per Piece (excluding packing)	9.04 GRM
Custom tariff number	39269097
Country of origin	Poland

#### Technical data

#### **Dimensions**

Wrench size, union nut	27 mm
External cable diameter	7 mm 10.5 mm

#### Ambient conditions

Degree of protection	IP67
Ambient temperature (operation)	-20 °C 100 °C

#### General

Note	Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29	
Type of the screw connection	Half screw connection	
Material, pressure screw	Polyamide	
Seal material	TPE	
Shielded	No	



## Technical data

#### General

Thread type on seal side	Pg16
Tightening torque, union nut	5.00 Nm

## Classifications

## eCl@ss

eCl@ss 4.0	27141209
eCl@ss 4.1	27141209
eCl@ss 5.0	27149109
eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 7.0	27149109
eCl@ss 8.0	27149109

#### **ETIM**

ETIM 2.0	EC000441
ETIM 3.0	EC000441
ETIM 4.0	EC000441
ETIM 5.0	EC000441

#### UNSPSC

UNSPSC 6.01	31261502
UNSPSC 7.0901	31261502
UNSPSC 11	31261502
UNSPSC 12.01	31261502
UNSPSC 13.2	31261502

## Approvals

## Approvals

Approvals

GOST

Ex Approvals



Ap	D	ro	va	ls
----	---	----	----	----

Approvals submitted

Approval details

GOST 🕑

## Accessories

Accessories

Half screw connection

Cable gland - VC-K-KV-PG21-O - 1885363

Half screw connection made of plastic with rubber seal without hole or for individual holes

## **Drawings**



#### Catalog photo



Figure may contain other products.

Phoenix Contact 2014 © - all rights reserved http://www.phoenixcontact.com