

Mounting material - FL RUGGED BOX POLE SET - 2701205

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Set for mast mounting of the FL RUGGED BOX housing, incl. screw clamps for masts up to 89 mm #

Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	740.0 GRM
Custom tariff number	73269098
Country of origin	Germany

Technical data

Product type	Mounting material
--------------	-------------------

Classifications

eCl@ss

eCl@ss 4.0	27240409
eCl@ss 4.1	24010504
eCl@ss 5.0	19030112
eCl@ss 5.1	27242208
eCl@ss 6.0	27242208
eCl@ss 7.0	27242208
eCl@ss 8.0	27242208

ETIM

ETIM 3.0	EC001423
ETIM 4.0	EC002498
ETIM 5.0	EC002498

Mounting material - FL RUGGED BOX POLE SET - 2701205

Classifications

UNSPSC

UNSPSC 6.01	43172710
UNSPSC 7.0901	43223108
UNSPSC 11	43172710
UNSPSC 12.01	43223108
UNSPSC 13.2	43223108

Accessories

Accessories

Control box

Control box - FL RUGGED BOX - 2701204



Control box for rugged construction of wireless systems for industrial applications, IP65, 25 x 18 x 13 cm, polycarbonate material, gray, drilled, including DIN rail, plugs, and screw connections, without devices

Control box - FL RUGGED BOX OMNI-1 - 2701430



IP65 control box set for constructing wireless systems for industrial applications, incl. three 2.4/5 GHz omnidirectional antennas that can be directly screwed on, with DIN rail, plugs, and screw connections, without devices

Control box - FL RUGGED BOX OMNI-2 - 2701439



Control box set for constructing wireless systems for industrial applications, incl. three 2.4/5 GHz IP65 omnidirectional antennas that can be directly screwed on, with DIN rail, plugs, and screw connections, with 100 ... 240 V power supply unit, without devices

Mounting material - FL RUGGED BOX POLE SET - 2701205

Accessories

Control box - FL RUGGED BOX DIR-1 - 2701440



Control box set for constructing wireless systems for industrial applications, incl. panel antenna and 3 m antenna cable for 2.4/5 GHz, IP65, with DIN rails, plugs, and screw connections, with 100 ... 240 V power supply unit, without devices