

Mounting kit - NLC-OP1-MKT - 2701140

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)





Product description

Mounting kit for Nanoline Operator Panel. Includes receptor housing installed in base unit, mounting brackets for installation in cabinet and cable to connect base unit.



Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	149.8 GRM
Custom tariff number	85366990
Country of origin	India

Technical data

Note

Utilization restriction	EMC: class A product, see manufacturer's declaration in the download area

Dimensions

Width	76 mm
Height	31.5 mm
Depth	46 mm

Ambient conditions

Ambient temperature (operation)	0 °C 50 °C
Ambient temperature (storage/transport)	0 °C 60 °C

Supply

Max. current consumption	50 mA
Typical current consumption	32 mA



Mounting kit - NLC-OP1-MKT - 2701140

Technical data

General

Mounting type	Control cabinet door mounting


Articles in set

Mounting unit - NLC-OP1-MKT-BASE - 2701250



Panel to mount in base unit, RJ-45 connector for remote Operator Panel

Mounting brackets - NLC-OP1-MKT-BRACKET - 2701263





Conductor - NLC-OP1-MKT-CBL - 2701438

Cable for operator terminal



Classifications

eCl@ss

eCl@ss 4.0	27240101
eCl@ss 4.1	27240101
eCl@ss 5.0	27242216
eCl@ss 5.1	27249290
eCl@ss 6.0	27242216
eCl@ss 7.0	27242216
eCl@ss 8.0	27242216



Mounting kit - NLC-OP1-MKT - 2701140

Classifications

ETIM

ETIM 2.0	EC001417
ETIM 3.0	EC001417
ETIM 4.0	EC002584
ETIM 5.0	EC002498

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	43201404

Accessories

Accessories

Cover

Cover - NLC-OP1-COVER - 2701276



Replacement cover for base unit

Drawings

Schematic diagram

