

## Latching - PRZ - 3040614

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Latching, Length: 3 mm, Width: 5.2 mm, Number of positions: 2, Color: orange

### Product Features

- Can be snapped into the plug housing as an option
- The conductor can be fixed using Phoenix Contact cable binders
- Latching and strain relief in one component

### Key Commercial Data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Minimum order quantity               | 50 pc    |
| Weight per Piece (excluding packing) | 1.48 g   |
| Custom tariff number                 | 85389099 |
| Country of origin                    | Poland   |

### Technical data

#### Dimensions

|        |        |
|--------|--------|
| Length | 3 mm   |
| Width  | 5.2 mm |

#### General

|          |        |
|----------|--------|
| Color    | orange |
| Material | PA-GF  |

#### Standards and Regulations

|             |         |
|-------------|---------|
| Order No.   | 3040614 |
| Product key | BE214Z  |

# Latching - PRZ - 3040614

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27141199 |
| eCl@ss 4.1 | 27141199 |
| eCl@ss 5.0 | 27141145 |
| eCl@ss 5.1 | 27141145 |
| eCl@ss 6.0 | 27141120 |
| eCl@ss 7.0 | 27149290 |
| eCl@ss 8.0 | 27141190 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000897 |
| ETIM 3.0 | EC000897 |
| ETIM 4.0 | EC002498 |
| ETIM 5.0 | EC002848 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211812 |
| UNSPSC 7.0901 | 39121411 |
| UNSPSC 11     | 39121411 |
| UNSPSC 12.01  | 39121411 |
| UNSPSC 13.2   | 39121411 |

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

---

### Approval details

|     |
|-----|
| EAC |
|-----|

