

## Cable gland - G-INS-PG21-M68N-NNES-S - 1411175


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Nickel-plated brass, External cable diameter 13 mm ... 18 mm, Shielding: No, Connecting thread: Pg21, Color: silver



### Key Commercial Data

Packing unit	1 STK
Minimum order quantity	5 STK
GTIN	 4 046356 923095
GTIN	4046356923095
Weight per Piece (excluding packing)	64.000 g
Custom tariff number	74199990
Country of origin	Turkey

### Technical data

#### Dimensions

Length	38 mm
Wrench size, union nut	30 mm
Wrench size, support	30 mm
Hexagon angular dimension	33 mm
Length of the connecting thread	7.2 mm
Feed-through hole diameter	28.4 mm ... 28.6 mm
External cable diameter	13 mm ... 18 mm
	13 mm ... 18 mm (for UL 514 B)

#### Ambient conditions

Degree of protection	IP69
----------------------	------

# Cable gland - G-INS-PG21-M68N-NNES-S - 1411175

## Technical data

### Ambient conditions

	IP68 (5 bar, 30 min.)
	4X
Ambient temperature (operation)	-20 °C ... 100 °C (static)

### General


No. of conductors	1
Cable gland material	Nickel-plated brass
Material, insert	Polyamide 6
Cable seal material	Neoprene
Shielded	No
Thread type on connection side	Pg21
Torque	10 Nm (Union nut)
	10 Nm (Support)
	17 Nm (for UL514 B: union nut / support)
Color	silver
Assembly instructions	1) Mount screw connection support in the housing using the correct torque 2) Insert cable 3) Tighten union nut using the correct torque

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Drawings

Dimensional drawing



Dimensional drawing

## Approvals

Approvals

## Cable gland - G-INS-PG21-M68N-NNES-S - 1411175

### Approvals

Approvals


UL Listed / cUL Listed / cULus Listed

---

Ex Approvals

---

### Approval details

UL Listed  <http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm> E199260

cUL Listed  <http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm> E199260

cULus Listed 

---