

Screw plug - PROT-M12 VPE1000 - 1539525


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



M12 screw plug for the unoccupied M12 sockets of the sensor/actuator cable, boxes and flush-type connectors, packing unit containing 1000 pieces

RoHS

Key Commercial Data

Packing unit	1000 STK
Minimum order quantity	1000 STK
GTIN	 4 046356 088480
GTIN	4046356088480
Weight per Piece (excluding packing)	0.839 g
Custom tariff number	39269097
Country of origin	Germany
Note	Made to Order (non-returnable)

Technical data

Ambient conditions

Degree of protection	IP67
----------------------	------

General

Torque	0.4 Nm
--------	--------

Material

Flammability rating according to UL 94	V0
Material	PA


Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Drawings

Screw plug - PROT-M12 VPE1000 - 1539525

Dimensional drawing



Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27149110
eCl@ss 5.1	27149110
eCl@ss 6.0	27061801
eCl@ss 7.0	27061801
eCl@ss 8.0	23111190
eCl@ss 9.0	23111190

ETIM

ETIM 3.0	EC002040
ETIM 4.0	EC002040
ETIM 5.0	EC000032
ETIM 6.0	EC000032

UNSPSC

UNSPSC 6.01	30212113
UNSPSC 7.0901	39121712
UNSPSC 11	39121712
UNSPSC 12.01	39121712

Approvals

Approvals

Approvals

UL Recognized / EAC

Ex Approvals

Approval details

Screw plug - PROT-M12 VPE1000 - 1539525

Approvals

UL Recognized



<http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm>

FILE E 240868

EAC



EAC-Zulassung

Accessories

Accessories

Screwdriver tools

Screwdriver - SZF 3-1,0X5,5 - 1206612



Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 1.0 x 5.5 x 150 mm, 2-component grip, with non-slip grip