

## Coding profile - HC-MOD-K-CP - 1408562

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Coding profile for HC-MOD-K... housing

### Product Description

Coding profile  
Block with 8 pcs.

### Key Commercial Data

Packing unit	1 STK
GTIN	4 046356 619301
GTIN	4046356619301
Weight per Piece (excluding packing)	6.300 g
Custom tariff number	39269097
Country of origin	Germany

### Technical data

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
---------------------------------	------------------

#### General

Assembly instructions	for sleeve housing HC-MOD-K-TMS-.../panel mounting base HC-MOD-K-AFS-...
-----------------------	--


#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### Drawings

# Coding profile - HC-MOD-K-CP - 1408562

Dimensional drawing



Dimensional drawing

## Classifications

### eCl@ss

eCl@ss 4.0	23090101
eCl@ss 4.1	23090101
eCl@ss 5.0	23090101
eCl@ss 5.1	23090101
eCl@ss 6.0	23090101
eCl@ss 7.0	23090101
eCl@ss 8.0	27440203
eCl@ss 9.0	27440203

### ETIM

ETIM 4.0	EC000437
ETIM 5.0	EC002311
ETIM 6.0	EC002311

### UNSPSC

UNSPSC 6.01	31161807
UNSPSC 7.0901	31161807
UNSPSC 11	31161807
UNSPSC 12.01	31161807
UNSPSC 13.2	27112301

## Approvals

Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approval details

## Coding profile - HC-MOD-K-CP - 1408562

### Approvals

EAC		7500651.22.01.00246
-----	---	---------------------