

## Coding element - HC-CST - 1676857


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Coding peg for coding up to 16 connectors

RoHS

### Key Commercial Data

Packing unit	1 STK
Minimum order quantity	10 STK
GTIN	 4 017918 129477
GTIN	4017918129477
Weight per Piece (excluding packing)	1.920 g
Custom tariff number	85389099
Country of origin	Germany

### Technical data


#### General

Material	Steel, galvanized
Note	Prevents most cases of the connector being inserted at an angle; Prescribed for contact inserts of series HC-D... and HC-DD...
Assembly instructions	Cannot be used for modular systems. Male and female coding connectors are mandatory for contact inserts of the HC-D... and HC-DD series.


### Drawings

# Coding element - HC-CST - 1676857

Dimensional drawing




Schematic diagram



Dimensional drawing

Coding with HC-CBU and HC-CST, for housings with two contact inserts

Schematic diagram



Coding with HC-CBU and HC-CST, for housings with one contact insert

## Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		7500651.22.01.00246
-----	--	---------------------

