

Protective covers - HC-B16-HCLWD-PLR-BK - 1414639

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



HEAVYCON protective cover, B16, for HC-EVO-B16... sleeve housing, with double locking latch, with retaining cord, IP54



Key Commercial Data

Packing unit	1 STK
GTIN	 4 055626 131337
GTIN	4055626131337
Custom tariff number	85389099
Country of origin	Poland

Technical data

Dimensions

Diameter of retaining cord eyelet	30 mm
-----------------------------------	-------

Ambient conditions

Degree of protection	IP54
	IP66 (for housing HC-STA.../ HC-EVO...PL)
Ambient temperature (operation)	-20 °C ... 100 °C

General

Size	B16
Material	PA
Seal material	NBR
Flammability rating according to UL 94	HB
Seal present	yes

Protective covers - HC-B16-HCLWD-PLR-BK - 1414639

Technical data

General

Note	Protective cover for supporting base element for double locking latch
Connection	Plastic protective cover for short-term protection

Standards and Regulations


Flammability rating according to UL 94	HB
--	----

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



Dimensional drawing

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		7500651.22.01.00246
-----	--	---------------------

