

## Zack Marker strip, flat - ZBF 4 CUS - 0825023

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Zack Marker strip, flat, can be ordered: Strip, white, labeled according to customer specifications, Mounting type: Snap into flat marker groove, for terminal block width: 4.2 mm, Lettering field: 4.2 x 5.2 mm


The illustration shows versions  
ZBF 4- UNPRINTED, -  
LGS:CONSEC.NOS, -  
QR:CONSEC.NOS and -SO/CMS

### Why buy this product

- ✓ The ZBF zack marker strip system with flat marker groove is a marking solution for modular terminal blocks and electronics modules
- ✓ Other pitches available on request
- ✓ Labeling service: Phoenix Contact can custom-label all zack marker strip markers according to your requirements
- ✓ The multi-section marking strips are easy to fit and can be easily separated if required
- ✓ Unlabeled marking strips can be custom-labeled with a plotter or by hand



### Key Commercial Data

|                                      |   |
|--------------------------------------|---|
| Packing unit                         | 1 STK   |
| GTIN                                 | <br>4 046356 357593 |
| GTIN                                 | 4046356357593   |
| Weight per Piece (excluding packing) | 0.470 g   |
| Custom tariff number                 | 49119900  |
| Country of origin                    | Germany   |
| Note                                 | Made to Order (non-returnable)  |

### Technical data

#### Dimensions

|           |      |
|-----------|------|
| Width (a) | 4 mm |
|-----------|------|

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 100 °C |
|---------------------------------|-------------------|

#### General

## Zack Marker strip, flat - ZBF 4 CUS - 0825023

### Technical data

#### General


|  |  |
|--|--|
| Note                                   | labeled according to customer specifications |
| Color                                  | white  |
| Components                             | free from silicone and halogen               |
| Flammability rating according to UL 94 | V2   |
| Material                               | PA   |
| Wipe resistance                        | DIN EN 61010-1 (VDE 0411-1)                  |
|  | DIN VDE 0611                                 |
| Number of individual labels            | 10   |
| Number of individual labels per row    | 10   |
| Number of marker strips                | 10   |
| Marking mounting type                  | Snap into flat marker groove                 |

#### Standards and Regulations

|  |                             |
|--|-----------------------------|
| Wipe resistance                        | DIN EN 61010-1 (VDE 0411-1) |
|  | DIN VDE 0611                |
| Flammability rating according to UL 94 | V2                          |

### Drawings

Schematic diagram



- ① Horizontal
- ② Vertical

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 24190219 |
| eCl@ss 4.1 | 24190219 |
| eCl@ss 5.0 | 27141137 |
| eCl@ss 5.1 | 27141137 |
| eCl@ss 6.0 | 27141137 |
| eCl@ss 7.0 | 27141137 |

## Zack Marker strip, flat - ZBF 4 CUS - 0825023

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 8.0 | 27141137 |
| eCl@ss 9.0 | 27141137 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 5.0 | EC000761 |
| ETIM 6.0 | EC000761 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39131505 |