

Front adapters - FLKM S135/S400/SO121 - 2301736

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



The FLKM S135/S400/SO adapter links a SIMATIC® S5 plug directly with the basic SIMATIC® S7 400 card.
Conversion: S5 card 6ES5 430-4UA14 to S7 card 6ES7-421-1BL01-0AA0



Key Commercial Data

Packing unit	1 STK
GTIN	 4 017918 954581
GTIN	4017918954581
Weight per Piece (excluding packing)	347.300 g
Custom tariff number	85369010
Country of origin	Germany

Technical data

Ambient conditions

Ambient temperature (operation)	-20 °C ... 50 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C

General

Note	The LEDs of the S7-400 module are hidden.
Max. permissible operating voltage	60 V DC
Max. permissible current	2 A (per path) 2 A (during supply via separate power supply)
Mounting position	any
Degree of protection	IP00

Connection data 1

Front adapters - FLKM S135/S400/SO121 - 2301736

Technical data

Connection data 1

Connection name	Field level
Connection method	SIEMENS S5-135 U pin strip

Supported controller

Controller	SIEMENS S5-135 U
- suitable I/O card	6ES5 430-4UA14
Controller	SIEMENS S7-400
- suitable I/O card	6ES7 421-1BL01-0AA0


Standards and Regulations

Standards/regulations	IEC 60664
	DIN EN 50178
Rated insulation voltage	63 V
Rated surge voltage	0.6 kV (Functional insulation)
Degree of pollution	2
Overvoltage category	II


Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings



Connection scheme: FLKM S135/S400/SO121



Connection scheme: FLKM S135/S400/SO121

Classifications

eCl@ss

eCl@ss 5.0	27249290
eCl@ss 5.1	27249290

Front adapters - FLKM S135/S400/SO121 - 2301736

Classifications

eCl@ss

eCl@ss 6.0	27249290
eCl@ss 7.0	27249290
eCl@ss 8.0	27249290
eCl@ss 9.0	27242292

ETIM

ETIM 4.0	EC002584
ETIM 5.0	EC002584
ETIM 6.0	EC002584

UNSPSC

UNSPSC 6.01	30211824
UNSPSC 7.0901	39121421
UNSPSC 11	39121421
UNSPSC 12.01	39121421
UNSPSC 13.2	32151601