

Electronic housing - UM 72-PROFIL 100CM - 2907583

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid
(<http://phoenixcontact.com/download>)

Panel mounting base, length: 1000 mm, open, Lower part, Cross connection: without bus connector, color: green, width: 1000 mm, number of positions cross connector: not relevant, Note: required profile length = PCB length - 3.6 mm




The figure shows the variant UM 45-Profil CM

Why buy this product

- ✓ Lateral elements with potential ground contact available from the PCB to the DIN rail (EMC)
- ✓ Fast assembly on standard NS 35 or NS 32 DIN rails
- ✓ Inexpensive as a result of reducing the number of separate housing parts
- ✓ Wide range of options for external conductor connection
- ✓ Flexible size and shape
- ✓ High degree of mechanical stability by screwing the lateral elements to the profile
- ✓ The modules can be marked with Phoenix Contact marking material using the marking grooves in the press-drawn section



Key Commercial Data

Packing unit	1 STK
GTIN	 4 017918 365394
GTIN	4017918365394
Weight per Piece (excluding packing)	400.000 g
Custom tariff number	39162000
Country of origin	Germany
Note	Made to Order (non-returnable)

Technical data

General

Housing type	Panel mounting base
Housing material	PVC
Color (RAL)	green (6021)

Ambient conditions

Electronic housing - UM 72-PROFIL 100CM - 2907583

Technical data

Ambient conditions

Ambient temperature (operation)	-15 °C ... 50 °C
---------------------------------	------------------

Dimensions

Length	1 m
Width	1000 mm
Depth	89.6 mm


Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings



Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701
eCl@ss 9.0	27182701

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC002779
ETIM 6.0	EC002779

Electronic housing - UM 72-PROFIL 100CM - 2907583

Classifications

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Accessories

Accessories

Mounting material

Foot element - UM 72-FE - 2959382

Foot element, 72 mm wide, for mounting on NS 32 or NS 35/7.5, below profile housing UM 72.



Mounting flange - UMK-BF - 2976077



Mounting flange, for mounting directly on the wall