

## Protective covers - HC-STA-D50-BCSFD-PL-BK - 1424417


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Protective cover D50, for double locking latch, protective cover material: PA, height: 19 mm, seal: no, Standard



RoHS

### Key Commercial Data

Packing unit	1 pc
GTIN	 4 055626 371573
GTIN	4055626371573
Weight per Piece (excluding packing)	40.700 g
Custom tariff number	85389099
Country of origin	China

### Technical data

#### Dimensions

Height	19 mm
Width	60.5 mm
Length	86.5 mm

#### Ambient conditions

Degree of protection of housing (IP)	IP66
Ambient temperature (operation)	-20 °C ... 100 °C

#### General

Note	Protective cover for supporting base element with double locking latch
Size	D50
Type	For supporting base element with double locking latch
Housing type	Protective cover
Color	black
Locking type	for double locking latch
Material	PA

# Protective covers - HC-STA-D50-BCSFD-PL-BK - 1424417

## Technical data

### General

Material, protective cover	PA
Flammability rating according to UL 94	V0
Connection	Plastic protective cover for short-term protection

### Standards and Regulations


Flammability rating according to UL 94	V0
--	----

### Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings

### Dimensional drawing



### Dimensional drawing

## Classifications

### eCl@ss

eCl@ss 5.1	27143424
eCl@ss 6.0	27261200
eCl@ss 7.0	27440208
eCl@ss 8.0	27440208
eCl@ss 9.0	27440208

### ETIM

ETIM 5.0	EC002314
ETIM 6.0	EC002314

## Approvals

### Approvals

### Approvals

### GL / EAC

## Protective covers - HC-STA-D50-BCSFD-PL-BK - 1424417

### Approvals


---

Ex Approvals

---

### Approval details

GL		<a href="http://exchange.dnv.com/tari/">http://exchange.dnv.com/tari/</a>	6196614 HH
----	---	---	------------

EAC			EAC-Zulassung
-----	---	--	---------------

---