

Housing - HC-STA-D25-BWS-EL-AL - 1424391

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Panel mounting base D25, with single locking latch, material: Die-cast aluminum, salt water resistant, height: 26 mm, cable gland: none, support sleeve: no, Standard



Key Commercial Data

| Packing unit | 1 pc |
|--------------------------------------|-----------------|
| GTIN | 4 055626 371313 |
| GTIN | 4055626371313 |
| Weight per Piece (excluding packing) | 70.000 g |
| Custom tariff number | 85389099 |
| Country of origin | China |

Technical data

Dimensions

| Height | 26 mm |
|-------------------------------|-------|
| Width | 39 mm |
| Length | 97 mm |
| Length of the assembly cutout | 74 mm |
| Width of the assembly cutout | 24 mm |

Ambient conditions

| Degree of protection of housing (IP) | IP66 |
|--------------------------------------|---------------|
| | IP67 |
| Ambient temperature (operation) | -40 °C 125 °C |

General

| Note | For contact inserts HC-D25, A16 |
|------|---------------------------------|
| Size | D25 |



Housing - HC-STA-D25-BWS-EL-AL - 1424391

Technical data

General


| Housing type | Panel mounting base |
|--------------------------|---|
| Color | gray aluminum |
| Locking type | with single locking latch |
| Screw connection | none |
| Housing material | Die-cast aluminum, salt water resistant |
| Housing surface material | uncoated |
| Material lock | PA |

Environmental Product Compliance

| China RoHS | Environmentally Friendly Use Period = 50 |
|------------|---|
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |


Drawings

Dimensional drawing





Dimensional drawing



Dimensional drawing

Mounting cutout

Classifications

eCl@ss

| eCl@ss 5.1 | 27261200 |
|------------|----------|
| eCl@ss 6.0 | 27261200 |
| eCl@ss 7.0 | 27440202 |
| eCl@ss 8.0 | 27440202 |
| eCl@ss 9.0 | 27440202 |

ETIM

| ETIM 5.0 | EC000437 |
|----------|----------|
| ETIM 6.0 | EC000437 |

Approvals

Approvals



Housing - HC-STA-D25-BWS-EL-AL - 1424391

Approvals

Approvals

GL / EAC

Ex Approvals

Approval details

GL

GL

http://exchange.dnv.com/tari/

6196614 HH

EAC

EAC

EAC-Zulassung

Accessories

Accessories

Seal

Flat gasket - HC-D 25-FL-DI - 1679595



Replacement flange seal, for HEAVYCON panel mounting base type D25, self-adhesive, color: Black

Phoenix Contact 2019 © - all rights reserved http://www.phoenixcontact.com