

# Housing - HC-STA-D15-BWSC-EL-AL - 1424363

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Panel mounting base D15, with single locking latch, material: Die-cast aluminum, salt water resistant, protective cover material: PA, height: 26 mm, cable gland: none, support sleeve: no, protective cover: yes, Standard



## **Key Commercial Data**

Packing unit	1 pc
GTIN	4 055626 371054
GTIN	4055626371054
Weight per Piece (excluding packing)	60.000 g
Custom tariff number	85389099
Country of origin	China

#### Technical data

#### **Dimensions**

Height	26 mm
Width	39 mm
Length	82 mm
Length of the assembly cutout	58 mm
Width of the assembly cutout	24 mm

#### Ambient conditions

Degree of protection of housing (IP)	IP66 (with locked protective cover)
	IP67 (when plugged in)
Ambient temperature (operation)	-40 °C 125 °C

#### General

Note	For contact inserts HC-D15, A10
Size	D15
Housing type	Panel mounting base
Color	gray aluminum



# Housing - HC-STA-D15-BWSC-EL-AL - 1424363

## Technical data

### General


Locking type	with single locking latch
Screw connection	none
Protective cover	yes
Housing material	Die-cast aluminum, salt water resistant
Housing surface material	uncoated
Material lock	PA
Material, protective cover	PA

## **Environmental Product Compliance**


China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

# Drawings

### Dimensional drawing



### Dimensional drawing



Dimensional drawing

Mounting cutout

### Classifications

# eCl@ss

eCl@ss 5.1	27261200
eCl@ss 6.0	27261200
eCl@ss 7.0	27440202
eCl@ss 8.0	27440202
eCl@ss 9.0	27440202

### **ETIM**

ETIM 5.0	EC000437
ETIM 6.0	EC000437

# Approvals

### Approvals



# Housing - HC-STA-D15-BWSC-EL-AL - 1424363

Approvals

Approvals

GL / EAC

Ex Approvals

Approval details

GL

GL

http://exchange.dnv.com/tari/

6196614 HH

EAC

EAC

**EAC-Zulassung** 

#### Accessories

Accessories

Module carrier frame

Module carrier frame - HC-M-D15-MF-HB - 1062122

Module carrier frame, size: D15 V, 0.14 mm<sup>2</sup> ... 2.5 mm<sup>2</sup>, application: Module carrier frame, for size D15 housings





#### Seal

Flat gasket - HC-D 15-FL-DI - 1679582



Replacement flange seal, for HEAVYCON panel mounting base type D15, self-adhesive, color: Black

Phoenix Contact 2019 © - all rights reserved http://www.phoenixcontact.com