

## Crimping pliers - CRIMPFOX-CATV 8.23-1 - 1212717

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Crimping pliers, for CATV connectors, 6.65 mm, 8.23 mm, 9.70 mm, three marked die stations, unlockable pressure lock, lateral entry

### Your advantages

- Crimping pliers for processing coaxial CATV connectors
- Unlockable pressure lock
- Lateral conductor entry



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 857666
GTIN	4046356857666
Weight per Piece (excluding packing)	675.600 g
Custom tariff number	82032000
Country of origin	Sweden

### Technical data

#### Dimensions

Length (b)	256 mm
Width (a)	22 mm
Height (c)	80 mm

#### General

Color	black
Compression	HEX crimp
Type of contact	CATV connector
Designation	Crimping position 1
Crimping width	6.65 mm
Designation	Crimping position 2

# Crimping pliers - CRIMPFOX-CATV 8.23-1 - 1212717

## Technical data

### General

Crimping width	8.23 mm
Designation	Crimping position 3
Crimping width	9.70 mm
Weight	560 g
Min. cross section	6.65 mm <sup>2</sup>
Max. cross section	9.7 mm <sup>2</sup>

### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

## Classifications

### eCl@ss

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040300
eCl@ss 6.0	21043800
eCl@ss 7.0	21043811
eCl@ss 8.0	21043811
eCl@ss 9.0	21043811

### ETIM

ETIM 3.0	EC001186
ETIM 4.0	EC000168
ETIM 5.0	EC000168
ETIM 6.0	EC000168

### UNSPSC

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518

## Approvals

### Approvals

Approvals

EAC

## Crimping pliers - CRIMPFOX-CATV 8.23-1 - 1212717

### Approvals

---

Ex Approvals

---

### Approval details

EAC



RU x-  
DE.xx08.B.02974