

Profile gasket - HC-B24-SP-CBK - 1411482


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Profile gasket for HEAVYCON EVO supporting base element type B24, conductive



Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	 4 046356 932820
GTIN	4046356932820
Weight per Piece (excluding packing)	3.920 g
Custom tariff number	40169300
Country of origin	China

Technical data

Dimensions

Length	120 mm
Width	43.8 mm
Height	3800 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

General

Material	NBR, conductive
Color	black
Assembly instructions	The replacement seal should be bonded with Loctite 454 adhesive.
Connection	For HC-EVO-B24...AL housing and HC-STA-B24...AL

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
------------	--

Profile gasket - HC-B24-SP-CBK - 1411482


Technical data

Environmental Product Compliance

	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"
--	---

Drawings

Dimensional drawing



Dimensional drawing

Classifications

eCl@ss

eCl@ss 5.1	27379100
eCl@ss 6.0	23071500
eCl@ss 7.0	23071590
eCl@ss 8.0	23071590
eCl@ss 9.0	23071590

ETIM

ETIM 4.0	EC002498
ETIM 5.0	EC002498
ETIM 6.0	EC000761

UNSPSC

UNSPSC 13.2	39131505
-------------	----------

Approvals

Approvals

Approvals

EAC

Ex Approvals

Profile gasket - HC-B24-SP-CBK - 1411482

Approvals

Approval details

EAC		RU C- DE.AI30.B.01102
-----	---	--------------------------