

PCB terminal block - ZFKDSA 2.5-5.08- 5 EX - 1848228

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)


PCB terminal block, pitch: 5.08 mm, number of positions: 5, connection method: Spring-cage connection, mounting: Wave soldering, color: green



The figure shows a 10-position version of the product

Your advantages

- ✔ Defined contact force ensures that contact remains stable over the long term
- ✔ Clamping space opened by means of fixed screwdriver enables convenient conductor connection
- ✔ Angled connection enables multi-row arrangement on the PCB
- ✔ Satisfies the more stringent safety requirements of "Ex e" protection according to IEC 60079-7 for potentially explosive areas
- ✔ The latching on the side enables various numbers of positions to be combined
- ✔ Two solder pins reduce the mechanical strain on the soldering spots



Key Commercial Data

Packing unit	50 pc
Minimum order quantity	50 pc
GTIN	
GTIN	4046356962728
Weight per Piece (excluding packing)	6.600 g
Custom tariff number	85369010
Country of origin	Poland

Technical data

Dimensions

Length [l]	16.85 mm
Pitch	5.08 mm
Dimension a	20.32 mm
Width [w]	26.4 mm
Height	14.2 mm

PCB terminal block - ZFKDSA 2.5-5.08- 5 EX - 1848228

Technical data

Dimensions

Height [h]	17.7 mm
Solder pin [P]	3.5 mm
Hole diameter	1.3 mm

General

Range of articles	ZFKDS(A) 2,5-EX
Nominal cross section	2.5 mm ²
Number of positions	5

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 5.1	27261100
eCl@ss 6.0	27261100
eCl@ss 7.0	27440401
eCl@ss 8.0	27440401
eCl@ss 9.0	27440401

ETIM

ETIM 4.0	EC002643
ETIM 5.0	EC002643
ETIM 6.0	EC002643

UNSPSC

UNSPSC 13.2	39121432
-------------	----------

Approvals

Approvals

Approvals

EAC

Ex Approvals

EAC Ex

Approval details

PCB terminal block - ZFKDSA 2.5-5.08- 5 EX - 1848228

Approvals

EAC



B.01742