

## Connecting cable - PLC-V8C/CAB/TBUS/0.3M - 2905263


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Round cable set; controller: PLC logic (connection to the DIN rail connector); connection 1: COMBICON connectors (1x 3-position); connection 2: COMBICON connectors (1x 5-position); cable length: 0.3 m

RoHS

### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 958882
GTIN	4046356958882
Weight per Piece (excluding packing)	15.400 g
Custom tariff number	85444290
Country of origin	Germany

### Technical data

#### General

Length of cable	0.3 m
-----------------	-------

#### Connector 1

Connection name	Field level
Connection method	COMBICON connectors
Stripping length	7 mm
Screw thread	M2
Conductor cross section solid	0.14 mm <sup>2</sup> ... 1.5 mm <sup>2</sup>
Conductor cross section flexible	0.14 mm <sup>2</sup> ... 1.5 mm <sup>2</sup>
Conductor cross section AWG	28 ... 16
Number of connections	1
Number of positions	5

#### Connector 2

Connection name	Controller level
Connection method	COMBICON connectors

# Connecting cable - PLC-V8C/CAB/TBUS/0.3M - 2905263

## Technical data

### Connector 2


Stripping length	6 mm
Conductor cross section solid	0.2 mm <sup>2</sup> ... 0.5 mm <sup>2</sup>
Conductor cross section flexible	0.14 mm <sup>2</sup> ... 0.5 mm <sup>2</sup>
Conductor cross section AWG	24 ... 20
Number of connections	1
Number of positions	3

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings

Schematic diagram



## Classifications

### eCl@ss

eCl@ss 5.1	27242200
eCl@ss 6.0	27249200
eCl@ss 7.0	27249205

# Connecting cable - PLC-V8C/CAB/TBUS/0.3M - 2905263

## Classifications

### eCl@ss

eCl@ss 8.0	27249205
eCl@ss 9.0	27242220

### ETIM

ETIM 2.0	EC000237
ETIM 3.0	EC000237
ETIM 4.0	EC000237
ETIM 5.0	EC000237
ETIM 6.0	EC000237

### UNSPSC

UNSPSC 13.2	26121620
-------------	----------

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

EAC		RU C- DE.A*30.B00767
-----	--	-------------------------

## Accessories

### Accessories

#### Marker carrier cable

Cable marker carrier - KME - 0807083



Cable marker carrier, white, unlabeled, mounting type: Assembly with cable binders, cable diameter: > 5 mm, lettering field size: 20 mm x 8 mm

