

# Contact removal tool - CK4 0-EWZ - 1662735

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Contact removal tool, for rotated CK-4,0-... contacts

## Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 128883
GTIN	4017918128883
Weight per Piece (excluding packing)	27.500 g
Custom tariff number	82055980
Country of origin	Germany

## Technical data

### General

Note	for contact inserts HC-BB.../ HC-Q05.../ HC-COM8.../ HC-A 10-E...C / HC-A 16-E...C / HC-K 8/24-E...C / HC-M-06.../ HC-M-08.../HC-M-20...
Connection	The CK4,0-EWZ tool (order no. 1662735) is required for removing the crimp contacts. At every "C" contact chamber, the position of the contact retaining springs is marked with two black markings on the connection side. From the connection side, the tool is pushed over the contact in a position-oriented manner, so that it touches both the retaining springs. Then insert it up to the limit stop. Do not turn the inserted tool. Push the conductor out of the insulating body along with the tool from the connection side.

### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

## Classifications

### eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424

# Contact removal tool - CK4 0-EWZ - 1662735

## Classifications

### eCl@ss

eCl@ss 5.1	27143400
eCl@ss 6.0	27379200
eCl@ss 7.0	27379217
eCl@ss 8.0	27379217
eCl@ss 9.0	27379217

### ETIM

ETIM 2.0	EC001121
ETIM 3.0	EC002032
ETIM 4.0	EC002032
ETIM 5.0	EC002032
ETIM 6.0	EC002032
ETIM 7.0	EC002032

### UNSPSC

UNSPSC 6.01	30211817
UNSPSC 7.0901	39121416
UNSPSC 11	43172601
UNSPSC 12.01	39121522
UNSPSC 13.2	27113201

## Approvals

### Approvals

---

### Approvals

EAC

---

### Ex Approvals

---

### Approval details

EAC		RU C- DE.AI30.B.01102
-----	--	--------------------------