EMLPR (80X42) - Shock protection



https://www.phoenixcontact.com/in/products/0800357



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Shock protection, Sheet, transparent, unlabeled, mounting type: adhesive, lettering field size: 80 x 42 mm, Number of individual labels: 6



Your advantages

- · High level of mechanical and chemical stability
- · Extremely thick, yet flexible and transparent label made from halogen-free PU
- · Suitable for permanent outdoor use
- Stuck or snapped onto labeled CARRIER ... to protect the labeling

Commercial Data

Item number	0800357
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to Order (non-returnable)
Sales Key	BG2
Product Key	BG2414
Catalog Page	Page 353 (C-3-2019)
GTIN	4046356612470
Weight per Piece (including packing)	11.37 g
Weight per Piece (excluding packing)	10 g
Customs tariff number	39199080
Country of origin	DE

EMLPR (80X42) - Shock protection



https://www.phoenixcontact.com/in/products/0800357



Technical Data

Product properties

Product type	Cover
Marking	
Number of individual labels	6
Number of individual labels per row	1

Dimensions

Width	80 mm
Length	42 mm

Material specifications

Foil strength	210 µm
Adhesive	Acrylic
Color	transparent
Material	PUR
Components	halogen-free

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed	
UV resistance		
Specification	ISO 4892-2:2013-03 (following)	
Result	Test passed	
Test duration	4000 h	

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05 (following)
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

Ambient conditions

Ambient temperature (operation)	-40 °C 90 °C
Recommended storage conditions	18 26 °C / 60 % relative humidity.
Shelf life	12 months

Mounting

Mounting type	adhaaiya
Mounting type	auriesive

EMLPR (80X42) - Shock protection



https://www.phoenixcontact.com/in/products/0800357



Classifications

ECLASS

_			
	ECLASS-11.0	24292214	
ETIM			
	ETIM 8.0	EC002113	
U	NSPSC		
	UNSPSC 21.0	39131500	

Phoenix Contact 2023 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in