

**VS-RJ11-BU-MOD/BU**

Order No.: 1656356

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1656356>

Socket insert RJ11, modular system (Keystone), 6-pos., unshielded

**Commercial data**

EAN	4046356029803
Pack	1 pcs.
Customs tariff	85366990
Weight/Piece	0.0085 KG
Catalog page information	Page 196 (PC-2009)

**Product notes**WEEE/RoHS-compliant since:  
11/13/2006

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****Mechanical characteristics**

Number of positions	6
Number of slots	1
Shielded	No

Type of connection	Socket
Ambient temperature (operation)	-20 °C ... 70 °C

**Material data**

Contact carrier material	Thermoplastic
Contact material	Copper alloy
Contact surface material	Gold over nickel
Degree of protection	IP20
Inflammability class acc. to UL 94	V0


**Electrical characteristics**

Number of positions	6
Transmission characteristics (category)	CAT3

**Drawings**

Dimensioned drawing

RJ11 female insert



**Address**

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



© 2009 Phoenix Contact  
Technical modifications reserved;