

## STB 3/3-G-5,08

Order No.: 1751031

<http://eshop.phoenixcontact.com.cn/phoenix/treeViewClick.do?UID=1751031>

Header, Nominal current: 16 A, Number of positions: 3, Pitch: 5.08 mm, Color: green, Contact surface: Tin, Assembly: Soldering

### Commercial data

|                        |          |
|------------------------|----------|
| Pack                   | 50 pcs.  |
| Customs tariff         | 85369010 |
| Gross weight in pieces | 1.82 g   |

### Product notes

WEEE/RoHS-compliant since:  
2003-01-01



Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### Dimensions / positions

|                     |            |
|---------------------|------------|
| Pitch               | 5.08 mm    |
| Number of positions | 3          |
| Pin dimensions      | 1 x 0,8 mm |
| Hole diameter       | 1.3 mm     |

#### Technical data

|                                  |        |
|----------------------------------|--------|
| Range of articles                | STB    |
| Connection in acc. with standard | EN-VDE |
| Nominal current $I_N$            | 16 A   |
| Nominal voltage $U_N$            | 250 V  |
| Color                            | green  |

|                  |      |
|------------------|------|
| Stripping length | 8 mm |
|------------------|------|

## Certificates



## Certification

CSA, GOST, UL Recognized

Certifications applied for:

Certification Ex:

**Address**

Phoenix Contact China  
No. 36 Phoenix Road - Jiangning Development Zone  
211100 Nanjing, China  
Phone 86-25-52121888  
Fax 86-25-52121555  
<http://www.phoenixcontact.com.cn>

PHOENIX CONTACT Middle East FZ LLC  
Technical modifications reserved;