

SI FORM C 30 A DIN 72581

Order No.: 0913760

The figure shows a version of the article



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=0913760>

Flat-type plug-in fuse, type C, color code: light green, nominal current:
30 A

Commercial data

EAN	 4 017918 104009
sales group	A049
Pack	50 Pcs.
Customs tariff	85361050
Gross weight in pieces	0.001903 KG
Net weight per piece	0.001515 KG
Catalog page information	Page 165 (C-1-2013)

Product notes

WEEE/RoHS-compliant since:
01/01/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Color	light green
Inflammability class according to UL 94	V0

Dimensions

Width	5 mm
Length	19 mm

Height NS 35/7,5	13 mm
------------------	-------

General

Fuse	C
Nominal current I_N (lower level)	30 A
Nominal voltage U_N	24 V

Certificates / Approvals



Certification GOST

Certifications applied for:

Certification Ex:

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;