

## A 2,5 - 7


Order No.: 3200289

The figure shows variant A 1-6

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=3200289>

Ferrule, Length: 7 mm, Color: silver

### Commercial data

EAN	 4 017918 093938
sales group	B251
Pack	1000 Pcs.
Customs tariff	85369010
Gross weight in pieces	0.000068 KG
Net weight per piece	0.000068 KG
Catalog page information	Page 444 (C-5-2013)

### Product notes

WEEE/RoHS-compliant since:  
01/01/2005

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### Dimensions

Length (b)	7 mm
Maximum stripping length	7 mm
Inner dimension of the insulating collar (d)	3.4 mm
Ferrule diameter	2.2 mm
Sleeve wall thickness	0.15 mm

**Ambient conditions**

Max. permanent temperature	105 °C
----------------------------	--------

**General**

Color	silver
Material	E-CU

**Certificates / Approvals**



Certification cCSAus

Certifications applied for:

Certification Ex:

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact  
Technical modifications reserved;