

VC-EW 1,6

Order No.: 1884869



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1884869>

Contact removal tool, for turned and rolled CK- 1.6-... contacts

Commercial data

EAN	4 017918 170080
sales group	D293
Pack	1 Pcs.
Customs tariff	82055980
Gross weight in pieces	0.0285 KG
Net weight per piece	0.0285 KG
Catalog page information	Page 563 (C-4-2013)

Product notes

WEEE/RoHS-compliant since:
11/21/2012



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Connection	For the removal of turned or rolled CK 1,6...R... or CK1,6...D... series contacts, the VC-EW 1,6 tool (Order No. 1884869) is required. For turned and rolled CK 1,6...ST... pin contacts and turned CK 1,6 ED...BU... socket contacts, the sleeve side of the tool is used. For rolled CK 1,6 ER-BU... socket contacts, the needle side of the tool must be used. To release the contacts, the tool is inserted from the front of the contact inserts in order to open the release mechanism. By pulling the wire, the appropriate contact can then be pulled out of the crimp chamber.
------------	--

Certificates / Approvals



Certification

GOST

Certifications applied for:

Certification Ex:

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;